

Vegan: an introduction to ordination

Jari Oksanen

Abstract

The document describes typical, simple work pathways of vegetation ordination. Unconstrained ordination uses as examples detrended correspondence analysis and non-metric multidimensional scaling, and shows how to interpret their results by fitting environmental vectors and factors or smooth environmental surfaces to the graph. The basic plotting command, and more advanced plotting commands for congested plots are also discussed, as well as adding items such as ellipses, convex hulls, and other items for classes. The constrained ordination uses constrained (canonical) correspondence analysis as an example. It is first shown how a model is defined, then the document discusses model building and significance tests of the whole analysis, single constraints and axes.

Keywords: ~ordination, correspondence analysis, non-metric multidimensional scaling, CCA, RDA, NMDS, fitted environmental vector, fitted environmental surface, permutation tests.

Contents

1	Ordination	2
1.1	Detrended correspondence analysis	2
1.2	Non-metric multidimensional scaling	2
2	Ordination graphics	3
2.1	Cluttered plots	4
2.2	Adding items to ordination plots	5
3	Fitting environmental variables	5
4	Constrained ordination	7
4.1	Significance tests	9
4.2	Conditioned or partial ordination	11

~

Vegan is a package for community ecologists. This document explains how the commonly used ordination methods can be performed in **vegan**. The document only is a very basic introduction. Another document (*vegan tutorial*) (<http://cc.oulu.fi/~jarioksa/opetus/method/vegan tutor.pdf>) gives a longer and more detailed introduction to ordination. The current document only describes a small part of all **vegan** functions. For most functions, the

canonical references are the **vegan** help pages, and some of the most important additional functions are listed at this document.

1. Ordination

The **vegan** package contains all common ordination methods: Principal component analysis (function `rda`, or `prcomp` in the base R), correspondence analysis (`cca`), detrended correspondence analysis (`decorana`) and a wrapper for non-metric multidimensional scaling (`metaMDS`). Functions `rda` and `cca` mainly are designed for constrained ordination, and will be discussed later. In this chapter I describe functions `decorana` and `metaMDS`.

1.1. Detrended correspondence analysis

Detrended correspondence analysis (DCA) is done like this:

```
R> library(vegan)
R> data(dune)
R> ord <- decorana(dune)
```

This saves ordination results in `ord`:

```
R> ord
```

Call:

```
decorana(veg = dune)
```

Detrended correspondence analysis with 26 segments.
Rescaling of axes with 4 iterations.

	DCA1	DCA2	DCA3	DCA4
Eigenvalues	0.5117	0.3036	0.12125	0.14266
Decorana values	0.5360	0.2869	0.08136	0.04814
Axis lengths	3.7004	3.1166	1.30057	1.47883

The display of results is very brief: only eigenvalues and used options are listed. Actual ordination results are not shown, but you can see them with command `summary(ord)`, or extract the scores with command `scores`. The `plot` function also automatically knows how to access the scores.

1.2. Non-metric multidimensional scaling

Function `metaMDS` is a bit special case. The actual ordination is performed by function **vegan** function `monoMDS` (or alternatively using `isoMDS` of the **MASS** package). Function `metaMDS` is a wrapper to perform non-metric multidimensional scaling (NMDS) like recommended in community ordination: it uses adequate dissimilarity measures (function `vegdist`), then it runs NMDS several times with random starting configurations, compares results (function `procrustes`), and stops after finding twice a similar minimum stress solution. Finally it scales and rotates the solution, and adds species scores to the configuration as weighted averages (function `wascores`):

```
R> ord <- metaMDS(dune)

Run 0 stress 0.1192691
Run 1 stress 0.1812939
Run 2 stress 0.1808915
Run 3 stress 0.1809588
Run 4 stress 0.1183188
... New best solution
... procrustes: rmse 0.02021248  max resid 0.06425558
Run 5 stress 0.1192686
Run 6 stress 0.1183202
... procrustes: rmse 0.0005415232  max resid 0.001655342
*** Solution reached

R> ord

Call:
metaMDS(comm = dune)

global Multidimensional Scaling using monoMDS

Data:      dune
Distance: bray

Dimensions: 2
Stress:     0.1183188
Stress type 1, weak ties
Two convergent solutions found after 6 tries
Scaling: centring, PC rotation, halfchange scaling
Species: expanded scores based on 'dune'
```

2. Ordination graphics


Ordination is nothing but a way of drawing graphs, and it is best to inspect ordinations only graphically (which also implies that they should not be taken too seriously).

All ordination results of **vegan** can be displayed with a `plot` command (Fig. 1):

```
R> plot(ord)
```

Default `plot` command uses either black circles for sites and red pluses for species, or black and red text for sites and species, resp. The choices depend on the number of items in the plot and ordination method. You can override the default choice by setting `type = "p"` for points, or `type = "t"` for text. For a better control of ordination graphics you can first draw an empty plot (`type = "n"`) and then add species and sites separately using `points` or `text` functions. In this way you can combine points and text, and you can select colours and character sizes freely (Fig. 2):

```
R> plot(ord, type = "n")
R> points(ord, display = "sites", cex = 0.8, pch=21, col="red", bg="yellow")
R> text(ord, display = "spec", cex=0.7, col="blue")
```



Figure~1: Default ordination plot.


All **vegan** ordination methods have a specific `plot` function. In addition, **vegan** has an alternative plotting function `ordiplot` that also knows many non-**vegan** ordination methods, such as `prcomp`, `cmdscale` and `isoMDS`. All **vegan** plot functions return invisibly an `ordiplot` object, so that you can use `ordiplot` support functions with the results (`points`, `text`, `identify`).

Function `ordirgl` (requires **rgl** package) provides dynamic three-dimensional graphics that can be spun around or zoomed into with your mouse. Function `ordiplot3d` (requires package `scatterplot3d`) displays simple three-dimensional scatterplots.

2.1. Cluttered plots

Ordination plots are often congested: there is a large number of sites and species, and it may be impossible to display all clearly. In particular, two or more species may have identical scores and are plotted over each other. **Vegan** does not have (yet?) automatic tools for clean plotting in these cases, but here some methods you can try:

- Zoom into graph setting axis limits `xlim` and `ylim`. You must typically set both, because **vegan** will maintain equal aspect ratio of axes.
- Use `points` and add labels only some points with `identify` command.
- Use `select` argument in ordination `text` and `points` functions to only show the specified items.
- Use `ordilabel` function that uses opaque background to the text: some text labels will be covered, but the uppermost are readable.
- Use automatic `orditorp` function that uses text only if this can be done without overwriting previous labels, but points in other cases.



Figure~2: A more colourful ordination plot where sites are points, and species are text.

- Use automatic `ordipointlabel` function that uses both points and text labels, and tries to optimize the location of the text to avoid overwriting.
- Use interactive `orditkplot` function that draws both points and labels for ordination scores, and allows you to drag labels to better positions. You can export the results of the edited graph to encapsulated `postscript`, `pdf`, `png` or `jpeg` files, or copy directly to encapsulated `postscript`, or return the edited positions to R for further processing.


2.2. Adding items to ordination plots

Vegan has a group of functions for adding information about classification or grouping of points onto ordination diagrams. Function `ordihull` adds convex hulls, `ordiellipse` adds ellipses of standard deviation, standard error or confidence areas, and `ordispider` combines items to their centroid (Fig. 3):

```
R> data(dune.env)
R> attach(dune.env)

R> plot(ord, disp="sites", type="n")
R> ordihull(ord, Management, col="blue")
R> ordiellipse(ord, Management, col=3,lwd=2)
R> ordispider(ord, Management, col="red", label = TRUE)
R> points(ord, disp="sites", pch=21, col="red", bg="yellow", cex=1.3)
```

In addition, you can overlay a cluster dendrogram from `hclust` using `ordicluster` or a minimum spanning tree from `spantree` with its `lines` function. Segmented arrows can be added with `ordiarrows`, lines with `ordisegments` and regular grids with `ordigrid`.



Figure~3: Convex hull, standard error ellipse and a spider web diagram for Management levels in ordination.

3. Fitting environmental variables

Vegan provides two functions for fitting environmental variables onto ordination:

- `envfit` fits vectors of continuous variables and centroids of levels of class variables (defined as `factor` in R). The arrow shows the direction of the (increasing) gradient, and the length of the arrow is proportional to the correlation between the variable and the ordination.
- `ordisurf` (which requires package **mgcv**) fits smooth surfaces for continuous variables onto ordination using thinplate splines with cross-validated selection of smoothness.

Function `envfit` can be called with a formula interface, and it optionally can assess the “significance” of the variables using permutation tests:

```
R> ord.fit <- envfit(ord ~ A1 + Management, data=dune.env, perm=1000)
R> ord.fit
```

***VECTORS

	NMDS1	NMDS2	r2	Pr(>r)
A1	0.96467	0.26345	0.365	0.02398 *

Signif. codes: 0 ‘***’ 0.001 ‘**’ 0.01 ‘*’ 0.05 ‘.’ 0.1 ‘ ’ 1
P values based on 1000 permutations.

***FACTORS:

Centroids:

	NMDS1	NMDS2

```

ManagementBF -0.4534 -0.0103
ManagementHF -0.2638 -0.1282
ManagementNM  0.2957  0.5790
ManagementSF  0.1509 -0.4670

```

Goodness of fit:

```

      r2    Pr(>r)
Management 0.4134 0.008991 **

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

P values based on 1000 permutations.

The result can be drawn directly or added to an ordination diagram (Fig. 4):

```

R> plot(ord, dis="site")
R> plot(ord.fit)

```

Function `ordisurf` directly adds a fitted surface onto ordination, but it returns the result of the fitted thinplate spline `gam` (Fig. 4):

```

R> ordisurf(ord, A1, add=TRUE)

```

Family: gaussian

Link function: identity

Formula:

$y \sim s(x_1, x_2, k = \text{knots})$

<environment: 0x3525cd8>

Estimated degrees of freedom:

2 total = 3

GCV score: 3.964875

4. Constrained ordination

Vegan has three methods of constrained ordination: constrained or “canonical” correspondence analysis (function `cca`), redundancy analysis (function `rda`) and distance-based redundancy analysis (function `capscale`). All these functions can have a conditioning term that is “partialled out”. I only demonstrate `cca`, but all functions accept similar commands and can be used in the same way.

The preferred way is to use `formula` interface, where the left hand side gives the community data frame and the right hand side lists the constraining variables:

```

R> ord <- cca(dune ~ A1 + Management, data=dune.env)
R> ord

```

Call: `cca(formula = dune ~ A1 + Management, data = dune.env)`

Inertia Proportion Rank




Figure 4: Fitted vector and smooth surface for the thickness of A1 horizon (A1, in cm), and centroids of Management levels.

```
Total      2.1153      1.0000
Constrained  0.7798      0.3686      4
Unconstrained 1.3355      0.6314     15
Inertia is mean squared contingency coefficient
```

Eigenvalues for constrained axes:

```
CCA1  CCA2  CCA3  CCA4
0.31875 0.23718 0.13217 0.09168
```

Eigenvalues for unconstrained axes:

```
CA1  CA2  CA3  CA4  CA5  CA6  CA7  CA8
0.362024 0.202884 0.152661 0.134549 0.110957 0.079982 0.076698 0.055267
CA9  CA10 CA11 CA12 CA13 CA14 CA15
0.044361 0.041528 0.031699 0.017786 0.011642 0.008736 0.004711
```


The results can be plotted with (Fig. 5):

```
R> plot(ord)
```

There are three groups of items: sites, species and centroids (and biplot arrows) of environmental variables. All these can be added individually to an empty plot, and all previously explained tricks of controlling graphics still apply.

It is not recommended to perform constrained ordination with all environmental variables you happen to have: adding the number of constraints means slacker constraint, and you finally end up with solution similar to unconstrained ordination. In that case it is better to use unconstrained ordination with environmental fitting. However, if you really want to do so, it is possible with the following shortcut in formula:

```
R> cca(dune ~ ., data=dune.env)
```

Figure~5: Default plot from constrained correspondence analysis.

```
Call: cca(formula = dune ~ A1 + Moisture + Management + Use +
Manure, data = dune.env)
```

```

              Inertia Proportion Rank
Total          2.1153      1.0000
Constrained    1.5032      0.7106  12
Unconstrained  0.6121      0.2894   7
Inertia is mean squared contingency coefficient
Some constraints were aliased because they were collinear (redundant)
```

Eigenvalues for constrained axes:

```

CCA1  CCA2  CCA3  CCA4  CCA5  CCA6  CCA7  CCA8  CCA9
0.46713 0.34102 0.17606 0.15317 0.09528 0.07027 0.05887 0.04993 0.03183
CCA10 CCA11 CCA12
0.02596 0.02282 0.01082
```

Eigenvalues for unconstrained axes:

```

CA1  CA2  CA3  CA4  CA5  CA6  CA7
0.27237 0.10876 0.08975 0.06305 0.03489 0.02529 0.01798
```

4.1. Significance tests

vegan provides permutation tests for the significance of constraints. The test mimics standard analysis of variance function (`anova`), and the default test analyses all constraints simultaneously:

```
R> anova(ord)
```

Permutation test for cca under reduced model

```
Model: cca(formula = dune ~ A1 + Management, data = dune.env)
      Df Chisq      F N.Perm Pr(>F)
Model    4 0.7798 2.1896   199 0.005 **
Residual 15 1.3355
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

The function actually used was `anova.cca`, but you do not need to give its name in full, because R automatically chooses the correct `anova` variant for the result of constrained ordination.

The `anova.cca` function tries to be clever and lazy: it automatically stops if the observed permutation significance probably differs from the targeted critical value (0.05 as default), but it will continue long in uncertain cases. You must set `step` and `perm.max` to same values to override this behaviour.

It is also possible to analyse terms separately:

```
R> anova(ord, by="term", permu=200)

Permutation test for cca under reduced model
Terms added sequentially (first to last)

Model: cca(formula = dune ~ A1 + Management, data = dune.env)
      Df Chisq      F N.Perm Pr(>F)
A1      1 0.2248 2.5245   199 0.015 *
Management 3 0.5550 2.0780   199 0.005 **
Residual 15 1.3355
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

In this case, the function is unable to automatically select the number of iterations. This test is sequential: the terms are analysed in the order they happen to be in the model. You can also analyse significances of marginal effects ("Type III effects"):

```
R> anova(ord, by="mar")

Permutation test for cca under reduced model
Marginal effects of terms

Model: cca(formula = dune ~ A1 + Management, data = dune.env)
      Df Chisq      F N.Perm Pr(>F)
A1      1 0.1759 1.9761   699 0.02571 *
Management 3 0.5550 2.0780   199 0.00500 **
Residual 15 1.3355
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

Moreover, it is possible to analyse significance of each axis:

```
R> anova(ord, by="axis", perm=500)

Model: cca(formula = dune ~ A1 + Management, data = dune.env)
      Df Chisq      F N.Perm Pr(>F)
```

```
CCA1      1 0.3187 3.5801    199 0.005 **
CCA2      1 0.2372 2.6640    199 0.015 *
CCA3      1 0.1322 1.4845     99 0.160
CCA4      1 0.0917 1.0297     99 0.390
Residual 15 1.3355
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

Now the automatic selection works, but typically some of your axes will be very close to the critical value, and it may be useful to set a lower `perm.max` than the default 10000 (typically you use higher limits than in these examples: we used lower limits to save time when this document is automatically generated with this package).

4.2. Conditioned or partial ordination

All constrained ordination methods can have terms that are partialled out from the analysis before constraints:

```
R> ord <- cca(dune ~ A1 + Management + Condition(Moisture), data=dune.env)
R> ord
```

```
Call: cca(formula = dune ~ A1 + Management +
Condition(Moisture), data = dune.env)
```

```
              Inertia Proportion Rank
Total          2.1153      1.0000
Conditional    0.6283      0.2970    3
Constrained    0.5109      0.2415    4
Unconstrained  0.9761      0.4615   12
Inertia is mean squared contingency coefficient
```

Eigenvalues for constrained axes:

```
CCA1  CCA2  CCA3  CCA4
0.24932 0.12090 0.08160 0.05904
```

Eigenvalues for unconstrained axes:

```
CA1    CA2    CA3    CA4    CA5    CA6    CA7    CA8
0.306366 0.131911 0.115157 0.109469 0.077242 0.075754 0.048714 0.037582
CA9    CA10   CA11   CA12
0.031058 0.021024 0.012542 0.009277
```

This partials out the effect of `Moisture` before analysing the effects of `A1` and `Management`. This also influences the significances of the terms:

```
R> anova(ord, by="term", perm=500)
```

```
Permutation test for cca under reduced model
Terms added sequentially (first to last)
```

```
Model: cca(formula = dune ~ A1 + Management + Condition(Moisture), data = dune.env)
      Df Chisq      F N.Perm Pr(>F)
A1      1 0.1154 1.4190    99 0.10 .
```

```

Management  3 0.3954 1.6205      99   0.03 *
Residual    12 0.9761
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

If we had a designed experiment, we may wish to restrict the permutations so that the observations only are permuted within levels of **strata**:

```
R> anova(ord, by="term", perm=500, strata=Moisture)
```

```

Permutation test for cca under reduced model
Terms added sequentially (first to last)
Permutations stratified within Moisture

```

```

Model: cca(formula = dune ~ A1 + Management + Condition(Moisture), data = dune.env)
      Df  Chisq      F N.Perm Pr(>F)
A1      1 0.1154 1.4190     99  0.27
Management 3 0.3954 1.6205     99 0.01 **
Residual  12 0.9761
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

About this version:

Id: intro-vegan.Rnw 2259 2012-08-23 15:13:58Z jarioksa processed with vegan 2.0-5 in R
 Under development (unstable) (2012-10-08 r60901) on October 8, 2012