

TopKLists: Analyzing multiple ranked lists

Michael G. Schimek, Eva Budinska, Jie Ding, Karl G. Kugler,
Vendula Svendova and Shili Lin

April 28, 2014

Contents

1	Introduction and example data	2
1.1	The breast cancer data	2
2	Using TopKInference	3
2.1	Construction of a dataset and execution of the inference procedure	4
2.2	Visualization of the truncation results	4
3	Using TopKSpace	5
3.1	Construction of three input lists and underlying spaces	5
3.2	Function calling	6
3.2.1	The Borda algorithm	6
3.2.2	Three MC algorithms	7
3.2.3	The CEMC algorithm	9
3.3	Comparison of performance of the different algorithms	10
3.4	Application to the breast cancer example dataset	11
4	Using TopKGraphics	12
4.1	Deltaplot	13
4.2	Aggregation map	15
4.3	Venn diagram	15
5	Using TopKListsGUI	15
5.1	The graphical user interface	16
5.1.1	Arguments	16
5.1.2	Analysis status panel and delta-slider	17
5.1.3	Results panel	17

1 Introduction and example data

The ranking of distinct items has become mainstream in recent years. Examples include Web search engine results for query terms, institution league tables in higher education, preference rankings of brands, betting results in sports, results from microarray platforms in biotechnology, and meta-analysis of multiple study findings in medicine, among many others. The rank position of an object or institution might be the result of measuring the strength of evidence or of assessment based on expert knowledge or preference. The underlying space can be a person or a technical device. Typically, such lists are between several thousand and several tens of thousands of items in length. However, only a comparably small subset of k top-ranked items is usually informative. These are characterized by a strong overlap of their rank positions when they are ranked by several independent assessors. There are two basic statistical tasks: (i) Identification of the top- k most conforming items. For this task, two lists are analyzed together (multiple lists in a pairwise manner). (ii) Calculation of a consolidated top- k sublist with a new optimized ordering of the conforming items from two or more lists. For long ranked lists, (i) is a prerequisite of (ii) because for any kind of rank aggregation the top- k list lengths of the individual top- k lists need to be specified.

For these two tasks this package offers several options which can be selected from three modules that are provided. Various options of high practical value are supported by a graphical user interface (GUI):

1. TopKInference provides exploratory nonparametric inference for the estimation of the top k list length of paired rankings;
2. TopKSpace provides several rank aggregation techniques (Borda, Markov Chain, and Cross Entropy Monte Carlo) which allow for the combination of input lists of different lengths, that may come from different underlying sets (spaces);
3. TopKGraphics provides a collection of graphical tools for the visualization of the inputs to, and the outputs from, the other modules.

Whenever you refer to the package TopKLists, please cite [2] and [3]. In the following sections, we illustrate the usage of these modules.

1.1 The breast cancer data

For illustrating the usage of this package, we selected three breast cancer microarray datasets (MDCC, TransBig and Puztai) that include information on estrogen receptor positivity (ER+ vs ER-), which is one of the prognostic markers for breast cancer (for the accession numbers see Table 1):

NAME	PubMed ID	GEO	Reference
MDCC	20676074	GSE20194	[7]
TransBig	17545524	GSE7390	[1]
Puztai	20829329	GSE20271	[8]

Table 1: Example dataset: names, PubMed IDs, GEO accession numbers and references

The presence of an estrogen receptor on cancer cells discriminates between two groups of breast cancer and therefore we expected ESR1 (estrogen receptor 1 gene) to be in the first place among the differentially expressed genes. Given the study designs, we also expected a substantial overlap in the top ranked genes. We begin by loading the data set and displaying the first part of the data frame, as described below.

```
library(TopKLists)
data(breast)
head(breast)

##   TransBig  MDCC Puztai
## 1    ESR1   ESR1   ESR1
## 2   TBC1D9 TBC1D9 TBC1D9
## 3   SCUBE2   EVL  SCUBE2
## 4     EVL SCUBE2   FBP1
## 5    NAT2  CIRBP    EVL
## 6    BTG2   FBP1   RHOB
```




Figure 1: The inference concept to obtain ℓ truncated consensual lists T_i from ℓ full ranked lists L_i

2 Using TopKInference

The nonparametric inference method of [2] for the truncation of paired ranked lists forms the core part of the TopKInference module. The associated iterative algorithm, as implemented here, allows the estimation of the length, k , of a top- k list in the presence of irregular and missing assignments. Overlap of rank positions in two input lists is represented by a sequence of indicators, I , where $I_j = 1$ if the ranking, given by the second assessor to the object ranked j by the first assessor, is not more than δ index positions distant from j , and otherwise $I_j = 0$. The vector of indicators is represented by the `Idata` variable. The variables I_j are assumed to follow a Bernoulli random distribution. This implies independence, which is motivated by $k \ll N$ and a strong random contribution due to irregular assignments in real data. However, [2] could prove that their theoretical results obtained under the assumption of complete independence also applies in the situation of moderate m -dependence. Simulation study evidence (unpublished material) is in full support of these theoretical findings: in fact, even under substantial list dependence, stable truncation results can be obtained from TopKInference.

A cautionary note: For making inference on pairs of ranked lists, tuning parameters have to be specified. This is for the following reason: For a given set of N objects, arbitrary ranked lists can be constructed by successive permutations. However, this fact does not help in practice when we have to analyze realizations of such lists because they comprise irregularities in terms of position shifts, inverted orderings, missing assignments, etc. As a consequence, a unique top- k list or a complete set of top-conforming objects does not exist. This is the reason why the truncation algorithm (and any other algorithm) in TopKLists needs to be controlled by tuning parameters. We therefore adhere to the well established notion of top- k lists. By definition, a top- k list consists of k items. The next index value after k is j_0 , the point of overlap degradation ($k=j_0-1$).

The choice of the distance parameter δ (which takes the value $0, 1, 2, 3, \dots$) is crucial when the `Idata` are prepared. The `deltaplot` of the module `TopKGraphics` was designed to help the user with the selection of δ for any pair of input lists of the same length. When this plot indicates more than one feasible non-zero δ -value (in that area where the discordance is starting to degrade), preference should be given to the smallest value. As well as the δ value, there are two further tuning parameters: the constant C which allows us to compensate for poor separability between the informative top parts and the remaining random parts of the input lists (the suggested interval is $0.25 < C < 0.6$), and the pilot sample size ν (for this smoothing parameter any positive integer value is admissible), which controls the degree of irregularity of the rankings.

The algorithmic solution employed by TopKInference in the event of there being more than two ranked lists is outlined in Figure 1. There, the principle for the calculation of an overall index k^* (a function of the individual k 's from the ℓ lists L_i ; the maximum `maxK` is the default) based on all pairwise comparisons is outlined. Having obtained such an overall index, we arrive at truncated lists T_i . They can either be aggregated by graphical means (the `aggmap` of the `TopKGraphics` module) or by stochastic rank aggregation (TopKSpace module). Details of the approach taken for multiple lists can be found in [6].

2.1 Construction of a dataset and execution of the inference procedure

In order to run the examples in this vignette, the TopKLists package must first be loaded:

```
library(TopKLists)
```

The truncation point j_0 , where noise takes over for a pair of ranked lists (i.e., the first index position after the end of the top- k list), can be estimated for any prespecified distance δ and the chosen tuning parameter values C and ν . It should be noted that in the R source code δ is denoted by `d`, C by `const` and ν by `v`. In this example we simulate a dataset with an assumed top length of $k = 30$, hence the truncation point of $j_0 = 31$.

```
k = 30
set.seed = 11
x = c(rep(1,k), rbinom(100, 1, 0.2))
```

Now let us estimate j_0 for different values of ν using the `compute.stream` function. This outputs a list of estimated j_0 values, as well as other details of the algorithm's convergency.

```
v.vect = seq(2, length(x), by = 2) #setting up a vector of the nu values
```

```
resF = c()
```

```
for (v in v.vect) {
  res = compute.stream(x, const = 0.5, v)
  resF = rbind(resF, c(v, paste(res)))
}
```

```
colnames(resF) = c("v", "j0_est", "k", "reason.break", "Js",
  "v.vector")
head(resF)
```

```
##      v    j0_est k    reason.break
## [1,] "2"   "32"  "31" "Js[i-2]==Js[i] & Js[i-1]==Js[i-3]"
## [2,] "4"   "31"  "30" "Js[i-2]==Js[i] & Js[i-1]==Js[i-3]"
## [3,] "6"   "31"  "30" "Js[i-2]==Js[i] & Js[i-1]==Js[i-3]"
## [4,] "8"   "31"  "30" "Js[i-2]==Js[i] & Js[i-1]==Js[i-3]"
## [5,] "10"  "30"  "29" "Js[i-2]==Js[i] & Js[i-1]==Js[i-3]"
## [6,] "12"  "31"  "30" "Js[i-2]==Js[i] & Js[i-1]==Js[i-3]"
##      Js
## [1,] "c(31, 31, 31, 31, 31)" "c(2, 2, 2, 2, 2)"
## [2,] "c(29, 31, 29, 31, 29)" "c(4, 4, 4, 4, 4)"
## [3,] "c(28, 32, 28, 32, 28)" "c(6, 6, 6, 6, 6)"
## [4,] "c(27, 33, 27, 33, 27)" "c(8, 8, 8, 8, 8)"
## [5,] "c(25, 33, 25, 33, 25)" "c(10, 10, 10, 10, 10)"
## [6,] "c(25, 35, 25, 35, 25)" "c(12, 12, 12, 12, 12)"
```

```
table(resF[, 2])
```

```
##
## 30 31 32 33 34 35
##  1  9 13 33  7  2
```

2.2 Visualization of the truncation results

The following plot (Figure 2) summarizes the obtained estimation results \hat{j}_0 for the specified range of pilot sample sizes ν and the assumed point of degeneration $j_0 = 31$. Small values of ν are the most appropriate here.

```
plot(resF[, 1], resF[, 2], pch = 19, ylim = c(0, length(x)),
  xlab = substitute(nu), ylab = substitute(paste(hat(j)[0])))
abline(a = 31, b = 0, col = "red")
lines(resF[, 1], resF[, 2])
```




Figure 2: Estimation of j_0 for different values of ν

3 Using TopKSpace

The principle of the TopKSpace module is to consolidate information from the l top- k lists to arrive at an aggregate list, AL . As shown in Figure 3, the top- k lists (L_1, L_2, \dots, L_l) may not only be of different lengths, they may also come from studies or assessments that consider different sets of objects, hence the underlying spaces (S_1, S_2, \dots, S_l) from which the top- k lists are derived may actually be different. The goal of the inference in TopKSpace is to therefore find the top- k list, AL , from the aggregate new space ($\cup_{i=1}^l L_i$), such that the weighted sum of distances between each of the input lists and AL will be the minimum among lists of the same length. Two distance measures, Kendall's τ and Spearman's footrule, are available in the package. Both take the differences in the underlying spaces into account [4]. There are three common assumptions about the underlying spaces: *common-space* (all top- k lists come from a single common space), *underlying space-dependent*, i.e. *assessment- or platform-dependent* (using the known spaces from which the top- k lists were generated), and *top- k -space* (treating each top- k list as its own space). Since underlying space-dependent represents the true underlying scenario, this method is recommended if such information is available.

There are three classes of algorithms implemented in TopKSpace, namely Borda's method, Markov Chain (MC) algorithms [5], and a Cross Entropy Monte Carlo (CEMC) method taking advantage of the new Order Explicit Algorithm (OEA) as described by [3]. The Borda and Markov Chain methods consist of heuristic algorithms which do not directly optimize the objective function (i.e., minimizing the weighted distances), whereas the CEMC method employs a Monte Carlo search procedure for achieving this optimization. Borda and Markov Chain algorithms run much faster than the Cross Entropy Monte Carlo algorithm, however the latter usually achieves better results. Nevertheless, simulation studies indicate that taking the underlying space into consideration has a much greater impact than using different algorithms. These three algorithms are implemented in three top-level functions within TopKSpace: `Borda`, `MC`, and `CEMC`. There are also two plotting functions: `Borda.plot` and `MC.plot` that help the user to visualize and compare the results.

3.1 Construction of three input lists and underlying spaces

Let us first produce the following three ranked lists of different lengths and their underlying spaces. Although this example is contrived, it is realistic in terms of the lengths and the number of top- k lists.

```
L1 = 1:30
L2 = c(1:10, 31:40, 11:15)
L3 = c(1:10, 16:20, 11:15)
input = list(L1, L2, L3)
space = list(1:40, 1:40, 1:40)
```

As can be seen from the compositions of the three lists, they are of different lengths (30, 25, and 20 for L1, L2, and L3, respectively). Further, the aggregate candidate set is objects 1-40, although two of the underlying spaces




Figure 3: The optimization concept for the aggregation of ℓ full ranked lists L_i into one list AL under space consideration

are larger, indicating that objects 41-50 were not selected in the top- k of the two corresponding lists. Fifteen of these 40 objects appear in all 3 lists, with objects 1-10 ranked 1-10, in that order, in all three lists; objects 11-15, however, have different rankings (they are ranked 11-15 for L1, 20-25 for L2, and 16-20 for L3). Five objects, 16-20, appear in two of the lists, with rankings of 16-20 for L1 and 11-15 for L3. The remaining 20 objects, 21-40, appear on only one list (objects 21-30 are ranked 21-30 in L1, while objects 31-40 are ranked 11-20 in L2). Since the number of potential aggregate top-40 lists is more than 8×10^{47} , enumerating all of them to find the “true” answer is not possible, but it would be reasonable to make a fairly accurate guess. There should be overwhelming information for ranking objects 1-10 in the top-10. Objects 11-15 should come next, followed by 16-20. For the remaining of the objects, 31-40 should be ranked ahead of 21-30. In the following subsection, we will demonstrate the use of the three classes of algorithms (Borda, MC, CEMC) for aggregation of these three ranked lists. We will also demonstrate the use of an objective evaluation criterion to compare the relative performances of different algorithms.

3.2 Function calling

3.2.1 The Borda algorithm

Four Borda scores are implemented in the Borda function of TopKSpace, namely the arithmetic mean (ARM), median (MED), geometric mean (GEO), and L2-norm (L2N). The output is a list with two elements: TopK provides the aggregate rankings and Scores gives the corresponding Borda scores for each of the four functions. Of the three arguments in Borda, only the first one (*input*) is required. If argument *space* is not provided, then the underlying space is assumed to be common among all top- k lists implicitly, and the union of the top- k lists is treated as the common space. If argument k is not specified, then the full ranked list (all elements in the union) is outputted.

```
outBorda = Borda(input, space, k = 50)
# 'space' is explicitly specified; underlying space-dependent
```

```
outBorda1 = Borda(input)
# 'space' is not specified; all lists are assumed to come from the common space (objects 1-40)
```

```
outBorda2 = Borda(input, space = input)
# 'space = input' indicates that this is the top-k space
```

```
sum(outBorda$Scores - outBorda1$Scores)
## [1] 0

sum(outBorda$Scores - outBorda2$Scores)
## [1] 279.7
```

Comment 1: Objects 1-40, union of the three top- k lists, are contained in all three spaces. As such, the results for which the spaces were explicitly specified should be the same as those with the common space assumption, which was exactly what we saw above. On the other hand, the underlying space-dependent results were different from the results assuming top- k spaces (i.e., all lists were full ranked lists).

```
as.list(outBorda$TopK)

## $mean
## [1]  1  2  3  4  5  6  7  8  9 10 11 12 16 13 17 14 18 19
## [19] 15 20 31 32 33 34 35 21 36 22 37 23 38 24 39 25 40 26
## [37] 27 28 29 30
##
## $median
## [1]  1  2  3  4  5  6  7  8  9 10 11 16 12 17 13 18 14 19
## [19] 15 20 21 31 32 33 34 35 36 37 38 39 40 22 23 24 25 26
## [37] 27 28 29 30
##
## $geo.mean
## [1]  1  2  3  4  5  6  7  8  9 10 11 12 16 17 13 18 14 19
## [19] 31 15 20 32 33 34 35 36 37 21 38 22 39 23 40 24 25 26
## [37] 27 28 29 30
##
## $l2norm
## [1]  1  2  3  4  5  6  7  8  9 10 11 12 13 16 17 14 18 19
## [19] 15 20 31 32 21 33 34 22 35 23 36 37 24 38 25 39 26 40
## [37] 27 28 29 30
```

Comment 2: All four scoring functions ranked objects 1-10, in that order, in the top-10. However, despite our expectation that objects 11-15, in that order, should be ranked 11-15, followed by objects 16-20, the results were more of a mix of these two groups, but with the correct relative orders preserved within each group. The results are quite similar among the four scoring functions. This is not surprising due to degradation of ranking information beyond the top-10. Such information degradation can be seen by plotting the Borda scores as described in the following.


Plotting the Borda scores against the ranking can frequently reveal when information for ranking starts to diminish. For example, Figure 4(a) shows that for the underlying space-dependence approach, a large gap appears between the Borda scores at rankings 10–11, and that the changes of the scores also slow down after this point. This can be similarly observed for the scores under the top- k space assumption (Figure 4(b)).

```
Borda.plot(outBorda, k = 40) # plot scores from underlying space-dependent analysis
Borda.plot(outBorda2)      # plot scores from top-k space analysis
```


Note that the first argument of the `Borda.plot` function is the output from the `Borda` function, which is mandatory. If the number of ranked objects (second argument) is not specified, the plot will show scores for all objects in the union set.

3.2.2 Three MC algorithms

Three Markov Chain (MC) algorithms are implemented in the `MC` function in `TopKSpace`: MC1 (spam sensitive), MC2 (majority rule), and MC3 (proportional). Among them, MC3 may be more appropriate for multi-platform omics problems given the potential of unique features of each data type. The output is a list with two elements for each of the MC algorithms (aggregate top- k list: MC1.TopK, MC2.TopK, or MC3.TopK; stationary probability distribution: MC1.Prob, MC2.Prob, or MC3.Prob). Of the arguments in MC, only the first one, *input*, is required. If argument *space* is not provided, it is assumed that the underlying space is common among all top- k lists, and the union of the top- k list is supplied as the common space. If argument k is not specified, then the full ranked list (all elements in the union) is outputted. The other two arguments (a and δ ; the latter different from δ in `TopKInference`) are tuning parameters, whose default values were shown to work well in a number of examples.



(a) Underlying space-dependent analysis



(b) Top-k space analysis

Figure 4: Plotting Borda's scores

```
outMC = MC(input, space)
# 'space' is explicitly specified; underlying space-dependent
```

```
outMCa = MC(input, k = 30)
# 'space' is not specified, so it is the same as common space
# (1-40)
```

```
outMCb = MC(input, space = input)
# 'space = input' indicates that this is the top-k space
```

```
sum(outMC$MC2.Prob - outMCa$MC2.Prob)

## [1] 0

sum(abs(outMC$MC2.TopK - outMCb$MC2.TopK))

## [1] 286
```

Comment 1: Similar to the discussion for running the Borda function, the results for which the space was explicitly specified were expected to be the same as those obtained under the common space assumption, which was exactly what we saw above (the two stationary distributions were identical). On the other hand, the common-space results were different from those assuming top- k space (there were large discrepancies in the aggregated top- k lists).

```
list(outMC$MC1.TopK, outMC$MC2.TopK, outMC$MC3.TopK)

## [[1]]
## [1] 1 2 3 4 5 6 7 8 9 10 16 11 17 12 18 13 31 19
## [19] 14 32 20 15 33 34 35 36 37 21 38 22 39 23 40 24 25 26
## [37] 27 28 29 30
##
## [[2]]
## [1] 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18
## [19] 19 20 40 39 38 37 36 35 34 33 32 31 30 29 28 27 26 25
```



```
## [37] 24 23 22 21
##
## [[3]]
## [1] 1 2 3 4 5 6 7 8 9 10 11 12 13 14 16 17 15 18
## [19] 19 20 31 32 33 34 35 36 37 38 39 40 21 22 23 24 25 26
## [37] 27 28 29 30
```

Comment 2: All three MC algorithms ranked objects 1-10, in that order, in the top-10. MC2 also ranked the next two groups, 11-15 and 16-20 in the correct order. However, the remaining objects (21-40) were ranked in the reverse of the expected order. MC3, on the other hand, had all the correct ordering except a transposition between the order of objects 15 and (16, 17). The stationary probabilities can be visualized using the plotting function (described in the following), which can be used to detect information degradation heuristically.

The stationary probabilities can be plotted by

```
MC.plot(outMC)
```




Figure 5: Equilibrium probabilities

A plot of the ordered stationary probabilities versus the ranking using the above command can contain useful information regarding the relative rankings of objects. For example, Figure 5 shows that for MC2, there was considerable information for ranking objects in the top-20, but there was practically no information ranking any object after that position (all stationary probabilities are the same). This was the reason why the rankings for objects 21-40 were completely wrong as we saw in the output. On the other hand, for MC1, there was less information for ranking objects beyond the top-10 compared to MC2, thus objects 11-20 were not ranked correctly. MC3 appears to be a compromise between MC1 and MC2, leading to a better aggregate ranked list.

Note that the first argument of the MC.plot function is the output from the MC function, which is mandatory. If the number of ranked objects (second argument) is not specified, the plot will show probabilities for all objects in the union set.

3.2.3 The CEMC algorithm

The Order Explicit Algorithm (OEA) in [3] is implemented as the CEMC function in TopKSpace. Of the three main input arguments in CEMC, only the first one (*input*) is required. If argument *space* is not provided, then all the underlying spaces are assumed to be a common one, and the union of the input top-*k* lists is supplied as the common space. If argument *k* is not specified, then the full aggregate ranked-list (all elements in the union) is

outputted. The function also has a number of other arguments, all tuning parameters, that can be set to run the OEA more efficiently. The default specified in the CEMC function constitutes a set of values that seem to work well for the examples/data that we have analyzed in [3], but it is always a good idea to run OEA with multiple sets of tuning parameters to increase the chance of finding the global maximum; see [3] for some recommendations on how to choose these parameters. In fact, the output of CEMC contains the set of tuning parameters used in the current run. If users are unsure of what to use, they are recommended to run CEMC without setting any parameter and use the parameter file in the output (*input.par*) to fine-tune the parameters and apply them as input for a more refined analysis. For the convenience of the user, after the parameter values are modified, the file can be directly supplied as an input argument without having to enter the value of each tuning parameter separately. Other than *input.par*, there are two more elements in the output list. One is the aggregate top-*k* list (TopK). The other is the multinomial probability matrix (ProbMatrix; each column represents the probability vector of a multinomial distribution and thus sum to 1, albeit with small rounding errors), from which the aggregate top-*k* list is determined.

```
set.seed(12345)
outCEMC = CEMC(input, space, N = 8000)
# 'space' is explicitly specified; underlying space-dependent
```

```
list(outCEMC$TopK)

## [[1]]
## [1] 1 2 3 4 5 6 7 8 9 10 11 12 13 14 16 15 17 18
## [19] 19 20 31 21 23 32 22 33 34 24 25 35 36 26 27 28 29 37
## [37] 38 39 40 30

outCEMC$ProbMatrix[1:5, 1:5]

##           1           2           3           4           5
## 1 1.000e+00 2.511e-13 1.153e-13 7.733e-22 3.622e-22
## 2 3.664e-13 1.000e+00 1.447e-11 3.829e-18 3.189e-18
## 3 3.217e-18 1.458e-11 1.000e+00 3.635e-17 1.179e-18
## 4 1.258e-19 2.428e-18 5.714e-17 1.000e+00 1.641e-15
## 5 1.688e-20 2.240e-18 2.435e-17 1.828e-15 1.000e+00
```

Comment 1: From the submatrix shown above for CEMC, it can be seen that item one is ranked no. 1, since the probability vector in the first column for item one is almost 1, but very small for the rest of the items. Similarly, item 2 is ranked no. 2, and so on.

```
outCEMC$input.par

## k dm kp N N1 extra rho e1 e2 w b init.m init.w
## 1 40 k 0.5 8000 800 0 0.1 0.1 1 0.5 0 p 0
```

Comment 2: This file contains all the tuning parameter values (defaults) for running CEMC. The user may modify this file and use it as the input to the *input.par* argument in the CEMC function.

3.3 Comparison of performance of the different algorithms

In the example given above, we discussed the performances of the different algorithms and assumptions since the underlying truth can be guessed to a large extent since the example was contrived. However, in a real data application, the ground truth is typically completely unknown, therefore, it would be helpful to have some objective criterion to evaluate the relative performances of the various algorithms. To this end, we have implemented two functions based on the modified Kendall distance (MKD) [5] in the TopKSpace module. The first function is `Kendall`, which computes the weighted sum of MKD between an aggregate top-*k* list with the input lists. Of the input arguments, the first two (*input*, *aggregate*) are required. If argument *space* is not supplied, all input lists are assumed to come from the same underlying space, the union of all elements in the input. If user has prior information on which list is more informative, then that information can be utilized by specifying the weight vector *w*. The output of `Kendall` is the MKD, a single number. However, it would be much more meaningful to compare MKDs across results from different algorithms to assess their relative performances. This can be achieved by invoking the `Kendall.plot` function, which not only provide a vector of MKDs but also provide a plot of the

MKD for ease of comparison visually. There are also two mandatory input arguments, `input` and `all.aggregates`, where `all.aggregates` is a list comprising of aggregate top- k lists from different algorithms to be compared. The following command will compute the MKD for the aggregate list from the Borda algorithm ARM.

```
KendallMLLists(input, space, outBorda$TopK[, 1])

## Modified Kendall Distance
##                                0.5154

all.aggregates = list(outBorda$TopK[, 1], outBorda$TopK[, 2],
  outBorda$TopK[, 3], outBorda$TopK[, 4], outMC$MC1.TopK, outMC$MC2.TopK,
  outMC$MC3.TopK, outCEMC$TopK)
```

```
Kendall.plot(input, all.aggregates, space, algorithm = c("ARM",
  "MED", "GEO", "L2N", "MC1", "MC2", "MC3", "CEMC"))
```




Figure 6: Comparison of the modified Kendall distances across several algorithms

```
## $`Modified Kendall Distance`
##   ARM   MED   GEO  L2N   MC1   MC2   MC3   CEMC
## 0.5154 0.5192 0.5205 0.5141 0.5333 0.6218 0.5090 0.5090
```

Running the `Kendall` function returns the MKD for the aggregate list from the Borda algorithm ARM, whereas the `Kendall.plot` function returns a vector of MKDs, with the first one matching the output from the `Kendall` function. Figure 6 is the graphical component of the `Kendall.plot` output. As we can see, the range on the y-axis is very small, indicating similar performance of all algorithms, especially those from Borda. The results show that MC3 and CEMC perform a little bit better than the rest, confirming our heuristic interpretation of the results.

3.4 Application to the breast cancer example dataset

We apply the Borda, MC, and CEMC algorithms to the breast cancer data to illustrate their usage in practical applications.

```
data(breast)
```

Now the overall top- k list length `maxK` is calculated using the `j0.multi` function

```
res = j0.multi(breast, d = 6, v = 10)
res$maxK
## [1] 14
```

Each of the three lists is truncated to the 14 most highly ranked genes. The set of genes contained in each list is not identical and each list can contain a different set of 14 top genes. Since each of the top-14 gene lists come from the common set of 917 genes, one way to set the common underlying space, without loss of information, is to make it the set of all the genes present in these 3 truncated lists. In this case there are 22 unique genes.

```
l1 = as.character(breast[1:res$maxK, 1])
l2 = as.character(breast[1:res$maxK, 2])
l3 = as.character(breast[1:res$maxK, 3])
input = list(l1, l2, l3)
common = unique(unlist(input))
space = list(common, common, common)
outBorda = Borda(input, space)
outMC = MC(input, space)
outCEMC = CEMC(input, space, N = 2000)
```

Finally, we can display the results in matrix form for comparison

```
agg = list(ARM = outBorda$TopK[, 1], MED = outBorda$TopK[, 2],
          GEO = outBorda$TopK[, 3], L2N = outBorda$TopK[, 4], MC1 = outMC$MC1.TopK,
          MC2 = outMC$MC2.TopK, MC3 = outMC$MC3.TopK, CEMC = outCEMC$TopK)
head(do.call(cbind, agg))

##      ARM      MED      GEO      L2N      MC1      MC2
## [1,] "ESR1"    "ESR1"    "ESR1"    "ESR1"    "ESR1"    "ESR1"
## [2,] "TBC1D9"  "TBC1D9"  "TBC1D9"  "TBC1D9"  "TBC1D9"  "TBC1D9"
## [3,] "SCUBE2"  "SCUBE2"  "SCUBE2"  "SCUBE2"  "SCUBE2"  "SCUBE2"
## [4,] "EVL"     "EVL"     "EVL"     "EVL"     "EVL"     "EVL"
## [5,] "FBP1"    "FBP1"    "FBP1"    "FBP1"    "FBP1"    "FBP1"
## [6,] "CIRBP"   "CIRBP"   "CIRBP"   "CIRBP"   "CIRBP"   "CIRBP"
##      MC3      CEMC
## [1,] "ESR1"    "ESR1"
## [2,] "TBC1D9"  "TBC1D9"
## [3,] "SCUBE2"  "SCUBE2"
## [4,] "EVL"     "EVL"
## [5,] "FBP1"    "FBP1"
## [6,] "CIRBP"   "CIRBP"
```

Additionally, we can plot the results from the different function.

```
Kendall.plot(input, agg, space, algorithm = c("ARM", "MED", "GEO",
        "L2N", "MC1", "MC2", "MC3", "CEMC"))
```

```
## $`Modified Kendall Distance`
##      ARM      MED      GEO      L2N      MC1      MC2      MC3      CEMC
## 0.5931 0.5584 0.5931 0.5801 0.6017 0.6277 0.5714 0.5584
```

Note: The results indicate that Borda with the median function and CEMC perform the best in this example as they lead to the smallest distance between the aggregate and individual lists (Figure 7).

4 Using TopKGraphics

The TopKGraphics module comprises three graphical tools: namely, the deltaplot, the aggregation map, and the Venn diagram. All are introduced in the following subsections and illustrated using example data.




Figure 7: Results from different algorithms for the breast cancer example data

4.1 Deltaplot

The function `deltaplot` provides an exploratory graph, designed to help the user with selecting the distance parameter δ in the `TopKListsGUI` interface. The input for the moderate deviation-based inference procedure is a sequence of I 's, taking either zero or one, forming a data stream representing the concordance of the paired ranks of an object o . The data stream depends on some value for the distance δ . The parameter δ is defined by the shift in index positions of a particular object o in one list, say L_i , with respect to the other list, say L_j . This means that we assume concordance (i.e. $I = 1$) for an arbitrary object characterized by rank positions in L_i versus L_j , maximal δ index values apart. For the identification of an appropriate δ in real data analysis, the following strategy is employed: we compute all data streams for $\delta \in [0, 1, 2, \dots, N - 1]$ and order the data stream vectors column-wise according to increasing δ values. In this way, we obtain a $N \times N$ matrix Δ . The ordered sequence of column sums (i.e. the number of 0's) for $\delta \in [0, 1, 2, \dots, N - 1]$ is the information we take advantage of in the so-called *deltaplot*. It represents the reduction of discordance as a function of δ . When all column sums remain zero, complete concordance is attained. A reasonable choice for the distance parameter is associated with a distinct decline in the number of 0's. Generally one should choose a value for δ where the rate of the *deltaplot*'s decrease begins to slow noticeably. Of course, prior information about the ranking mechanisms involved and the nature of the data is also relevant for the selection of δ .

```
deltaplot.dir = paste0(tempdir(), "/deltaplot")
dir.create(deltaplot.dir, showWarnings = FALSE)
subplot.dir = paste0(tempdir(), "/subplot")
dir.create(subplot.dir, showWarnings = FALSE)
```

```
a = deltaplot(breast, deltas = seq(0, 300, by = 5), directory = deltaplot.dir)
```




Figure 8: Deltaplot for lists MDCC vs. Puztai and vice versa

When observing the deltaplot for the first two breast cancer lists (Figure 8), it is not immediately apparent which value for δ should be used. This is because there is no visible point where the deltaplot's decrease changes its direction.

It can also be observed from Figure 8 that switching the reference list from, for example Putsztai to MDCC or vice versa, has little impact on the graph. In order to choose a suitable value for δ , we must limit the deltaplot calculation to a smaller subset of the investigated lists, for example the first 200 objects. Additionally, the subplot parameter can be used, which magnifies a selected range of small δ -values in a subplot, defined by the perc.subplot parameter.

```
a = deltaplot(breast, deltas = 1:50, subset.lists = 200, subplot = TRUE,
  perc.subplot = 50, directory = subplot.dir)
```




Figure 9: Deltaplot for lists MDCC vs. Puztai for first 200 objects

In Figure 9 it can be seen that after, say, $\delta = 6$ the decrease of deltaplot is not as pronounced as for lower values of δ . Therefore, it would be logical to concentrate on those results where δ is set to between 4 and 10.

The calculation of the overall truncation index maxK for pre-specified values of δ and ν is performed using the `j0.multi` function. This function takes the input lists, calculates for all pairwise list combinations Idata vectors of 0's and 1's, and then estimates the \hat{j}_0 . Finally, the maxK is calculated as the maximum of all pairwise \hat{k} values.

```
res = j0.multi(breast, d = 6, v = 10)
sapply(res, head)

## $maxK
## [1] 14
##
```

```

## $L
##      list1      list2  v j0_est  k delta
## 1 TransBig      MDCC 10      9  8      6
## 2 TransBig  Puztai 10      9  8      6
## 3      MDCC TransBig 10     11 10      6
## 4      MDCC  Puztai 10     13 12      6
## 5  Puztai TransBig 10     11 10      6
## 6  Puztai      MDCC 10     15 14      6
##
## $Idata
##      TransBig_MDCC TransBig_Puztai MDCC_TransBig
## [1,]              1              1              1
## [2,]              1              1              1
## [3,]              1              1              1
## [4,]              1              1              1
## [5,]              0              0              1
## [6,]              1              1              1
##      MDCC_Puztai Puztai_TransBig Puztai_MDCC
## [1,]              1              1              1
## [2,]              1              1              1
## [3,]              1              1              1
## [4,]              1              1              1
## [5,]              1              1              1
## [6,]              1              0              1

```

In our example, for $\delta = 6$ and $\nu = 10$, the estimated overall top- k takes the value $\max K=14$.

4.2 Aggregation map

The aggregation map can only be accessed via TopKListsGUI (see Section 5.1.3). It can be characterized as follows: We define an index $p = 1, 2, \dots$ and combine $\ell - 1$ aggregation levels (groupings of truncated lists) in one display: For each group of $\ell - p$ truncated lists down to the smallest group consisting of just one pair of lists, we (i) select an arbitrary reference list L^0 under the condition that it comprises $\max_i(\hat{k}_i)$ items among all pairwise comparisons in the group of rankings, (ii) print the symbols of its $\max_i(\hat{k}_i)$ items vertically from the highest to the lowest rank position, and (iii) add the aggregation information for all remaining $\ell - p$ rankings (pairwise list combinations) in the group, ordered according to descending list length.

The aggregation information per symbol, item, and group consists of three measures represented by colored triangles and rectangles, respectively, outlined in an array format:

- The **membership** of an individual item in the top- k lists. Yes is denoted by the color 'grey' and no by the color 'white'.
- The **distance** d of the rank of an individual item $o \in L^0$ from its position in another list, is denoted by a triangle color scaled from 'red' *identical* to 'yellow' *far distant*. An additional integer value gives the numerical distance between the item's rank positions, a negative sign means ranked lower, and a positive sign means ranked higher in L with respect to L^0 .
- The rectangular of a symbol takes on the color 'grey' when the **percentage** of $d \leq \delta$ across the columns of a group is above some prespecified threshold, and 'white' otherwise.

The aggregation map of the breast cancer dataset can be seen in Figure 13.

4.3 Venn diagram

The Venn diagram can only be accessed via TopKListsGUI (see Section 5.1.3). The Venn diagram, and the respective Venn table, show overlaps of objects in the top- k lists for all analyzed input lists. Asterisk-highlighted objects are those from the final aggregated list, produced by TopKSpace.

5 Using TopKListsGUI

The TopKLists package comprises a graphical user interface TopKGUI that offers applied researchers easy and straightforward access to all the functionality of TopKInference as well as access to the aggregation techniques

of TopKSpace, and the aggmap graphical aggregation tool contained in TopKGraphics. Moreover, Venn-diagrams and Venn-tables for the summary of rank aggregation results are accessible. The TopKSpace results are shown in the Venn diagram output.

The suite of functions supported by TopKGUI facilitates the exploratory analysis of multiple ranked lists. Interactive input facilities (such as a slider for the dynamic specification of the distance δ) allow for the real-time analysis and visualization of results. These results correspond to the distance δ or the pilot sample size ν (note that, for large list lengths of N , many numbers of calculations must be performed and longer waiting times should be expected).

5.1 The graphical user interface

To open the GUI using the breast cancer data introduced in section 1.1, run

```
TopKListsGUI(breast)
```

The window shown in Figure 10 appears, allowing the user to perform an analysis of two or more lists.




Figure 10: Main window of the TopKListsGUI

The TopKListsGUI window is divided into four panels: arguments, analysis status, delta-slider and results.

5.1.1 Arguments




Figure 11: The arguments panel of the TopKListsGUI main window

In this panel, the user is informed about the number of lists and objects in the dataset. Further, the user can set up variable values for the top- k list computation. The user must select ν (default value is 10) and choose the δ range for which the top- k lists should be calculated (the default is from 0 to 10, in steps of 1). A threshold for the minimum percentage of top lists comprising an object, used for gray-shading in the aggregation map, can also be

selected (default is 50). Finally, the TopKSpace algorithm for the generation of the aggregate list can be chosen, the default being CEMC. Last but not least, this panel contains the calculate button, which starts the analysis.

5.1.2 Analysis status panel and delta-slider

In the bottom section of TopKListsGUI the status of the analysis is shown.




Figure 12: The delta-slider section of the TopKListsGUI main window

Once the analysis is complete, the delta-slider allows the user to switch between the results, obtained using different values for δ interactively. The moving bar shows the current value of δ , and the aggregation map updates accordingly. Moving the bar to the left or right allows the user to see results for smaller or larger δ values.

5.1.3 Results panel

Once the analysis is complete, this section serves the visualization of the results for selected δ value (the position of the delta-slider). The results of the analysis are displayed in three tabs, described below.

- Aggregation map




Figure 13: Aggregation map result of the TopKListsGUI

As shown in Figure 13, the best overlap was found when comparing the MDCC and Transbig lists against the Puzstai list, for $\delta = 6$ (see Section 1 for a description of the example data). The estimated \hat{k} is 14, with 12 genes in the top- k lists of at least two datasets. In the visualization of Transbig with respect to MDCC, 10 genes are grey-shaded. Most consistent are the ESR1 and TBC1D9 genes, occupying the first two positions in all three lists (with a distance of 0 in both MDCC and TransBig compared to Puzstai).

- Summary table:

The summary table displays a table of objects present in at least one of the top- k lists, as shown in the aggregation map. The table describes each object name, position of the object in each of the lists, sum of ranks, frequency in the input lists, and frequency in the truncated lists. Please note, that the objects which have assigned the value 'YES' in the first column are in the top- k set of genes (as selected by the CEMC function explained in Section 3).




Figure 14: Summary table result of the TopKListsGUI

The table is ordered in ascending order with regard to the sum of ranks of the objects in the three lists. The first object is gene ESR1, followed by TBC1D9. Genes SCUBE2, EVL, FBP1, CIRBP, and BTG2 are also consistently present in the top- k truncated lists, but at different positions. Genes FUT8, C1orf106 and QDPR are found in only two of the truncated lists and at varying positions.

- Venn diagram and Venn table:

The outputted Venn diagram and Venn table show overlaps of objects in the top- k lists of all input lists in the analysis. The asterisk-highlighted objects, in this example the genes, are those that belong to the final aggregate list as returned by the TopKSpace module.




Figure 15: Venn diagram and Venn table results of the TopKListsGUI

References

- [1] Desmedt C., Piette F., Loi S., Wang Y. et al. (2007). Strong time dependence of the 76-gene prognostic signature for node-negative breast cancer patients in the TRANSBIG multicenter independent validation series. *Clin Cancer Res*, **13**, 3207-3214.
- [2] Hall, P. and Schimek, M. G. (2012). Moderate deviation-based inference for random degeneration in paired rank lists. *J. Amer. Statist. Assoc.*, **107**, 661-672.
- [3] Lin, S. and Ding, J. (2009). Integration of ranked lists via Cross Entropy Monte Carlo with applications to mRNA and microRNA studies. *Biometrics*, **65**, 9-18.

- [4] Lin, S. (2010a). Space oriented rank-based data integration. *Statistical Applications in Genetics and Molecular Biology*, **9**, Article 20.
- [5] Lin, S. (2010b). Rank aggregation methods. *Wiley Interdisciplinary Reviews: Computational Statistics*, **2**, 555–570.
- [6] Schimek, M. G., Myšičková, A. and Budinská, E. (2012). An inference and integration approach for the consolidation of ranked lists. *Communications in Statistics - Simulation and Computation*, **41:7**, 1152-1166.
- [7] Shi L., Campbell G., Jones W.D., Campagne F. et al. (2010). The MicroArray Quality Control (MAQC)-II study of common practices for the development and validation of microarray-based predictive models. *Nat Biotechnol*, **28**, 827-838.
- [8] Tabchy A., Valero V., Vidaurre T., Lluch A. et al. (2010). Evaluation of a 30-gene paclitaxel, fluorouracil, doxorubicin, and cyclophosphamide chemotherapy response predictor in a multicenter randomized trial in breast cancer. *Clin Cancer Res* **16**, 5351-5361.

Session info

```
sessionInfo()

## R version 3.0.2 (2013-09-25)
## Platform: x86_64-unknown-linux-gnu (64-bit)
##
## locale:
##  [1] LC_CTYPE=en_US.UTF-8      LC_NUMERIC=C
##  [3] LC_TIME=en_US.UTF-8      LC_COLLATE=C
##  [5] LC_MONETARY=en_US.UTF-8  LC_MESSAGES=en_US.UTF-8
##  [7] LC_PAPER=en_US.UTF-8     LC_NAME=C
##  [9] LC_ADDRESS=C             LC_TELEPHONE=C
## [11] LC_MEASUREMENT=en_US.UTF-8 LC_IDENTIFICATION=C
##
## attached base packages:
## [1] stats      graphics  grDevices  utils      datasets
## [6] methods    base
##
## other attached packages:
## [1] TopKLists_1.0.0 knitr_1.5
##
## loaded via a namespace (and not attached):
##  [1] Formula_1.1-1      Hmisc_3.13-0
##  [3] KernSmooth_2.23-10 bitops_1.0-6
##  [5] caTools_1.16       cluster_1.14.4
##  [7] evaluate_0.5.3     formatR_0.10
##  [9] gdata_2.13.3       gplots_2.13.0
## [11] grid_3.0.2         gtools_3.3.1
## [13] highr_0.3          lattice_0.20-29
## [15] splines_3.0.2      stringr_0.6.2
## [17] survival_2.37-7    tools_3.0.2
```