

# Fitting species abundance models with maximum likelihood

## Quick reference for **sads** package

Paulo Inácio Prado, Murilo Dantas Miranda and Andre Chalom  
Theoretical Ecology Lab  
LAGE at the Dep of Ecology, USP, Brazil  
<http://ecologia.ib.usp.br/let/>  
[prado@ib.usp.br](mailto:prado@ib.usp.br)

May, 11, 2016

## 1 Introduction

Species abundance distributions (SADs) are one of the basic patterns of ecological communities (McGill et al., 2007). The empirical distributions are traditionally modeled through probability distributions. Hence, the maximum likelihood method can be used to fit and compare competing models for SADs. The package **sads** provides functions to fit the most used models to empirical SADs. The resulting objects have methods to evaluate fits and compare competing models. The package also allows the simulation of SADs expected from communities' samples, with and without aggregation of individuals of the same species.

## 2 Installation

The package is available on CRAN and can be installed in **R** with the command:

```
> install.packages('sads')
```

then loaded by

```
> library(sads)
```

### 2.1 Developer version

The current developer version can be installed from GitHub with:

```
> library(devtools)
> install_github(repo = 'piLaboratory/sads', ref= 'dev')
```

And then load the package:

```
> library(sads)
```

### 3 Exploratory analyses

Throughout this document we'll use two data sets of abundances from the *sads* package. For more information on these data please refer to their help pages:

```
> data(moths)# William's moth data
> data(ARN82.eB.apr77)# Arntz et al. benthos data
```

#### 3.1 Octaves

Function *octav* tabulates the number of species in classes of logarithm of abundances at base 2 (Preston's octaves) and returns a data frame <sup>1</sup>:

```
> (moths.oc <- octav(moths))
```

Object of class "octav"

	octave	upper	Freq
1	0	1	35
2	1	2	11
3	2	4	29
4	3	8	32
5	4	16	26
6	5	32	32
7	6	64	31
8	7	128	13
9	8	256	19
10	9	512	5
11	10	1024	6
12	11	2048	0
13	12	4096	1
14	13	8192	0

```
> (arn.oc <- octav(ARN82.eB.apr77))
```


---

<sup>1</sup>actually an object of class *octav* which inherits from class *dataframe*


```
Object of class "octav"
  octave      upper Freq
1      -7 7.8125e-03    0
2      -6 1.5625e-02    3
3      -5 3.1250e-02    5
4      -4 6.2500e-02    4
5      -3 1.2500e-01    6
6      -2 2.5000e-01    3
7      -1 5.0000e-01    5
8       0 1.0000e+00    2
9       1 2.0000e+00    4
10      2 4.0000e+00    3
11      3 8.0000e+00    1
12      4 1.6000e+01    2
13      5 3.2000e+01    0
14      6 6.4000e+01    1
15      7 1.2800e+02    1
16      8 2.5600e+02    0
```

A logical argument `preston` allows smoothing the numbers as proposed by Preston (1948). The octave number is the upper limit of the class in log2 scale. Hence, for abundance values smaller than one (*e.g.* biomass data) the octave numbers are negative. A Preston plot is a histogram of this table, obtainable by applying the function `plot` to the data frame:

```
> plot(moths.oc)
```



```
> plot(arn.oc)
```



### 3.2 Rank-abundance plots

Function `rad` returns a data frame of sorted abundances and their ranks <sup>2</sup>:

```
> head(moths.rad <- rad(moths))
```

	rank	abund
1	1	2349
2	2	823
3	3	743
4	4	604
5	5	589
6	6	572

```
> head(arn.rad <- rad(ARN82.eB.apr77))
```

	rank	abund
sp17	1	67.21


---

<sup>2</sup>actually an object of class `rad` which inherits from class `dataframe`


sp11	2	54.67
sp33	3	14.67
sp9	4	9.90
sp30	5	5.71
sp10	6	2.88

To get the rank-abundance or Whitaker's plot apply the function `plot` on the data frame:

```
> plot(moths.rad, ylab="Number of individuals")
```



```
> plot(arn.rad, ylab="Biomass")
```



## 4 Model fitting

The *sads* package provides maximum-likelihood fits of many probability distributions to empirical sads. The working horses are the functions `fitsad` for fitting species abundance distributions and `fitrad` for fitting rank-abundance distributions. The first argument of these functions is the vector of observed abundances<sup>3</sup> The second argument is the name of the model to be fitted. Please refer to the help page of the functions for details on the models. For more information on the fitting procedure see also the vignette of the *bbmle* package, on top of which the package *sads* is built.

To fit a log-series distribution use the argument `sad='ls'`:

```
> (moths.ls <- fitsad(moths,'ls'))
```

```
Maximum likelihood estimation
```

```
Type: discrete species abundance distribution
```

```
Species: 240 individuals: 15609
```

---

<sup>3</sup>`fitrad` also accepts a rank-abundance table returned by function `rad` as its first argument.

Call:

```
mle2(minuslogl = function (N, alpha)
-sum(dls(x, N, alpha, log = TRUE))), start = list(alpha = 40.247281791951),
  method = "Brent", fixed = list(N = 15609L), data = list(x = list(
    1, 1, 1, 1, 1, "etc")), lower = 0, upper = 240L)
```

Coefficients:

N	alpha
15609.00000	40.24728

Log-likelihood: -1087.71

The resulting model object inherits from *mle2* (Bolker & R Development Core Team, 2014), and has all usual methods for model objects, such as summaries, log-likelihood, and AIC values:

```
> summary(moths.ls)
```

Maximum likelihood estimation

Call:

```
mle2(minuslogl = function (N, alpha)
-sum(dls(x, N, alpha, log = TRUE))), start = list(alpha = 40.247281791951),
  method = "Brent", fixed = list(N = 15609L), data = list(x = c(1L,
    1L, 1L, 1L, 1L, 1L, 1L, 1L, 1L, 1L, 1L, 1L, 1L, 1L, 1L,
    1L, 1L, 1L, 1L, 1L, 1L, 1L, 1L, 1L, 1L, 1L, 1L, 1L,
    1L, 1L, 1L, 1L, 2L, 2L, 2L, 2L, 2L, 2L, 2L, 2L, 2L, 2L,
    3L, 3L, 3L, 3L, 3L, 3L, 3L, 3L, 3L, 3L, 3L, 3L, 3L, 3L,
    4L, 4L, 4L, 4L, 4L, 4L, 4L, 4L, 4L, 4L, 4L, 4L, 4L, 5L,
    5L, 5L, 5L, 5L, 5L, 5L, 5L, 5L, 5L, 6L, 6L, 6L, 6L, 6L,
    6L, 6L, 6L, 6L, 6L, 7L, 7L, 7L, 7L, 7L, 8L, 8L, 8L, 8L,
    8L, 9L, 9L, 9L, 9L, 10L, 10L, 10L, 10L, 11L, 11L, 12L, 12L,
    13L, 13L, 13L, 13L, 13L, 14L, 14L, 15L, 15L, 15L, 15L, 16L,
    16L, 16L, 17L, 17L, 17L, 18L, 18L, 18L, 19L, 19L, 19L, 20L,
    20L, 20L, 20L, 21L, 22L, 22L, 22L, 23L, 23L, 23L, 24L, 25L,
    25L, 25L, 26L, 27L, 28L, 28L, 28L, 29L, 29L, 32L, 34L, 34L,
    36L, 36L, 36L, 37L, 37L, 43L, 43L, 44L, 44L, 45L, 49L, 49L,
    49L, 51L, 51L, 51L, 51L, 52L, 53L, 54L, 54L, 57L, 58L, 58L,
    60L, 60L, 60L, 61L, 64L, 67L, 73L, 76L, 76L, 78L, 84L, 89L,
    96L, 99L, 109L, 112L, 120L, 122L, 129L, 135L, 141L, 148L,
```



```

149L, 151L, 154L, 177L, 181L, 187L, 190L, 199L, 211L, 221L,
226L, 235L, 239L, 244L, 246L, 282L, 305L, 306L, 333L, 464L,
560L, 572L, 589L, 604L, 743L, 823L, 2349L)), lower = 0, upper = 240L)

Coefficients:
      Estimate Std. Error z value      Pr(z)
alpha    40.247      6.961  5.7818 7.391e-09 ***
---
Signif. codes:
0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

Fixed parameters:
      N
15609

-2 log L: 2175.425

> coef(moths.ls)

      N      alpha
15609.00000    40.24728

> logLik(moths.ls)

'log Lik.' -1087.713 (df=1)

> AIC(moths.ls)

[1] 2177.425

```

On the above examples, notice that the `print` method<sup>4</sup> displays some statistics on the input data and fitting function used - number of species, number of individuals, truncation point for the probability distribution (when used, see below) and whether we are fitting a discrete or continuous sad or rad - while the `summary` method displays information more associated with the fitting *per se*: standard errors and significance codes for each parameter. Also, notice that the input data is displayed by both methods, but the `print` method only shows the first values, as the complete list can be quite large.

---

<sup>4</sup>Or, equivalently, the `show` method

## 4.1 Model diagnostics

Many other diagnostic and functions are available for sad and rad models. To get likelihood profiles, likelihood intervals and confidence intervals use:


```
> moths.ls.prf <- profile(moths.ls)
> likelregions(moths.ls.prf) #likelihood intervals
```

Likelihood regions for ratio = 2.079442

```
alpha:
      lower      upper
[1,] 27.57325 56.04053
> confint(moths.ls.prf)
      2.5 %    97.5 %
28.01537 55.36267
```

Then use `plotprofmle` to plot likelihood profiles at the original scale (relative negative log-likelihood) and function `plot` to get plots at chi-square scale (square-root of twice the relative log-likelihood):

```
> par(mfrow=c(1,2))
> plotprofmle(moths.ls.prf)# log-likelihood profile
> plot(moths.ls.prf)# z-transformed profile
> par(mfrow=c(1,1))
```





**Likelihood intervals and confidence intervals:**

Likelihood intervals include all values of the parameters that have up to a given log-likelihood absolute difference to the maximum likelihood estimate. This difference is the log-likelihood ratio and is set with the argument `ratio` of function `likelregions`. The default value of `ratio` is  $\log(8)$ , and thus in the example above the likelihood interval encloses all values of the parameter that are up to 8 times as plausible as the estimated value of  $\alpha = 40.25$ .


Likelihood intervals at  $\log(8)$  converge to the value of confidence intervals at 95% as sample size increases. In most cases even for moderate sample sizes the limits of confidence and likelihood intervals are very close. Discrepancies occur only when the likelihood profile is highly asymmetric or have local *minima*. But in this kind of profile usually indicates an ill-behaved fit, and so the intervals may not be meaningful anyway.

When applied on a `sad` model object, the function `plot` returns four diagnostic plots:


```
> par(mfrow=c(2,2))
> plot(moths.ls)
> par(mfrow=c(1,1))
```



**Q-Q plot**



**P-P plot**



The first two plots (top right and left) are the octave and rank-abundance plots with the predicted values of number of species in each octave and of each species' abundance. The two last plots (bottom) are quantile-quantile and percentile-percentile graphs of the observed vs. predicted abundances. The straight line indicates the expected relation in case of perfect fit.

## 4.2 SADs vs RADs

Species-abundance models assign a probability for each abundance value. Thus, these models are probability density functions (PDFs) of abundances of species. Rank-abundance models assign a probability for each **abundance rank**. They are PDFs for rankings of species. The models are interchangeable (May, 1975), but currently only four rad models are available in package `sads` through the argument `rad` of function `fitrad`:

- “gs”: geometric series (which is NOT geometric PDF, available in `fitsad` as “geom”)
- “rbs”: broken-stick model (MacArthur, 1957; May, 1975)
- “zipf”: Zipf power-law distribution
- “mand”: Zipf-Mandelbrot power-law distribution

### Comparison to `radfit` from *vegan* package:

`fits` by `fitsad`, `fitrad` and `radfit` of *vegan* package provide similar estimates of model coefficients but not comparable likelihood values. The reason for this is the fact each function fits models that assign probability values to data in different ways. Function `fitsad` fits PDFs to observed abundances and `fitrad` fits PDFs to the ranks of the abundances. Finally, `radfit` of *vegan* fits a Poisson generalized linear model to the *expected abundances* deduced from rank-abundance relationships from the corresponding `sads` and `rads` models (Wilson, 1991). See also the help page of `radfit`. Therefore **likelihoods obtained from these three functions are not comparable**.

## 5 Model selection

It’s possible to fit other models to the same data set, such as the Poisson-lognormal and a truncated lognormal:

```
> (moths.pl <- fitsad(x=moths, sad="poilog"))#default is zero-truncated
```

Maximum likelihood estimation

Type: discrete species abundance distribution

Species: 240 individuals: 15609

Call:

```
mle2(minuslogl = function(mu, sig)
```

```
-sum(dtrunc("poilog", x = x, coef = list(mu = mu, sig = sig),
```

```
trunc = trunc, log = TRUE)), start = list(mu = 1.99665479139621,
sig = 2.1872546088852), data = list(x = list(1, 1, 1, 1,
1, "etc"))))
```

Coefficients:

```
      mu      sig
1.996469 2.187126
```

Truncation point: 0

Log-likelihood: -1086.07

```
> (moths.ln <- fitsad(x=moths, sad="lnorm", trunc=0.5)) # lognormal truncated at 0.5
```

Maximum likelihood estimation

Type: continuous species abundance distribution

Species: 240 individuals: 15609

Call:

```
mle2(minuslogl = function (meanlog, sdlog)
-sum(dtrunc("lnorm", x, coef = list(meanlog = meanlog, sdlog = sdlog),
trunc = trunc, log = TRUE)), start = list(meanlog = 2.57905878609957,
sdlog = 1.78235276032689), data = list(x = list(1, 1, 1,
1, 1, "etc"))))
```

Coefficients:

```
meanlog sdlog
2.274346 2.039740
```

Truncation point: 0.5

Log-likelihood: -1086.36

moreover, the function `AICtab` and friends from the *bbmle* package can be used to get a model selection table:

```
> AICtab(moths.ls, moths.pl, moths.ln, base=TRUE)
```

	AIC	dAIC	df
moths.pl	2176.1	0.0	2
moths.ln	2176.7	0.6	2
moths.ls	2177.4	1.3	1

**NOTICE** that the information criterion methods do not differentiate between `fitsad` and `fitrad` methods. Because of this, it is possible to include `fitsad` and `fitrad` objects in the same IC-table without generating an error, but the result will be meaningless. To compare visually fits first get octave tables:

```
> head(moths.ls.oc <- octavpred(moths.ls))
```

	octave	upper		Freq
1	0	1	40.14377	
2	1	2	20.02026	
3	2	4	23.27123	
4	3	8	25.12674	
5	4	16	25.86285	
6	5	32	25.67116	

```
> head(moths.pl.oc <- octavpred(moths.pl))
```

	octave	upper		Freq
1	0	1	27.58735	
2	1	2	19.48216	
3	2	4	26.76472	
4	3	8	31.88374	
5	4	16	33.16140	
6	5	32	30.49061	


```
> head(moths.ln.oc <- octavpred(moths.ln))
```

	octave	upper		Freq
1	0	1	15.41886	
2	1	2	22.44066	
3	2	4	29.13034	
4	3	8	33.72746	
5	4	16	34.82976	
6	5	32	32.08088	

then use `lines` to superimpose the predicted values on the octave plot:

```
> plot(moths.oc)
> lines(moths.ls.oc, col="blue")
> lines(moths.pl.oc, col="red")
> lines(moths.ln.oc, col="green")
```

```
> legend("topright",
  c("Logseries", "Poisson-lognormal", "Truncated lognormal"),
  lty=1, col=c("blue", "red", "green"))
```



To do the same with rank-abundance plots get the rank-abundance objects:

```
> head(moths.ls.rad <- radpred(moths.ls))
```

	rank	abund
1	1	1180
2	2	854
3	3	710
4	4	619
5	5	554
6	6	503

```
> head(moths.pl.rad <- radpred(moths.pl))
```




	rank	abund
1	1	4348
2	2	1973
3	3	1322
4	4	1001
5	5	807
6	6	676

```
> head(moths.ln.rad <- radpred(moths.ln))
```

	rank	abund
1	1	3524.2394
2	2	1674.8603
3	3	1148.3539
4	4	883.6309
5	5	720.7864
6	6	609.2707

then plot observed and predicted values:

```
> plot(moths.rad)
> lines(moths.ls.rad, col="blue")
> lines(moths.pl.rad, col="red")
> lines(moths.ln.rad, col="green")
> legend("topright",
      c("Logseries", "Poisson-lognormal", "Truncated lognormal"),
      lty=1, col=c("blue","red", "green"))
```



## 6 Simulations

The function `rsad` returns random samples of a community with  $S$  species. The mean abundances of the species in the communities are independent identically distributed (*iid*) variables that follow a given probability distribution. The sample simulates a given number of draws of a fraction  $a$  from the total number of individuals in the community. For instance, to simulate two Poisson samples of 10% of a community with 10 species that follows a lognormal distribution with parameters  $\mu = 3$  and  $\sigma = 1.5$  use:

```
> set.seed(42)# fix random seed to make example reproducible
> (samp1 <- rsad(S = 10, frac = 0.1, sad = "lnorm",
  coef=list(meanlog = 3, sdlog = 1.5),
  zeroes=TRUE, ssize = 2))
```

	sample	species	abundance
1	1	1	20
2	1	2	4
3	1	3	7
4	1	4	2
5	1	5	4
6	1	6	1
7	1	7	25
8	1	8	3
9	1	9	45
10	1	10	1
11	2	1	17
12	2	2	2
13	2	3	0
14	2	4	3
15	2	5	6
16	2	6	2
17	2	7	18
18	2	8	0
19	2	9	53
20	2	10	4

The function returns a data frame with a sample numeric label, species' numeric label and species' abundance in each sample. By default, `rsad` returns a vector of abundances of single Poisson sample with zeroes omitted:

```
> (samp2 <- rsad(S = 100, frac=0.1, sad="lnorm",
  list(meanlog=5, sdlog=2)))
```

[1]	155	697	4	7	48	5	40	56	105	8	48
[12]	1	3	1	14	21	6	66	2	3	32	259
[23]	8	51	21	1	312	42	23	20	48	12	28
[34]	14	20	40	267	5	209	36	107	93	58	1
[45]	7	39	2	7	56	70	31	3	4	305	25
[56]	15	12	3	48	8	12	101	69	255	5	51
[67]	253	4	1	2	17	49	187	121	599	3	23
[78]	12	9	16	21	10	17	3	5	2	9	5
[89]	3214	1	19	1	31						

Since this is a Poisson sample of a lognormal community, the abundances in the sample should follow a Poisson-lognormal distribution with parameters  $\mu + \log a$  and  $\sigma$  (Grøtan & Engen, 2008). We can check this by fitting a Poisson-lognormal model to the sample:

```
> (samp2.pl <- fitsad(samp2, "poilog"))
```

Maximum likelihood estimation

Type: discrete species abundance distribution

Species: 93 individuals: 8759

Call:

```
mle2(minuslogl = function (mu, sig)
-sum(dtrunc("poilog", x = x, coef = list(mu = mu, sig = sig),
      trunc = trunc, log = TRUE)), start = list(mu = 2.70913840074115,
      sig = 1.88422051945515), data = list(x = list(155, 697, 4,
      7, 48, "etc"))))
```

Coefficients:

mu	sig
2.709138	1.884220

Truncation point: 0

Log-likelihood: -453.22

```
> ## checking correspondence of parameter mu
> coef(samp2.pl)[1] - log(0.1)
```

mu
5.011723

Not bad. By repeating the sampling and the fit many times it's possible to evaluate the bias and variance of the maximum likelihood estimates:

```
> results <- matrix(nrow=75,ncol=2)
> for(i in 1:75){
  x <- rsad(S = 100, frac=0.1, sad="lnorm",
            list(meanlog=5, sdlog=2))
  y <- fitsad(x, "poilog")
  results[i,] <- coef(y)
}
> results[,1] <- results[,1]-log(0.1)
```

Bias is estimated as the difference between the mean of estimates and the value of parameters:

```
> ##Mean of estimates
> apply(results,2,mean)
```

```
[1] 4.967747 1.988037
```

```
> ## relative bias
> (c(5,2)-apply(results,2,mean))/c(5,2)
```

```
[1] 0.00645063 0.00598133
```

And the precision of the estimates are their standard deviations

```
> ##Mean of estimates
> apply(results,2,sd)
```


```
[1] 0.2550500 0.1852667
```

```
> ## relative precision
> apply(results,2,sd)/apply(results,2,mean)
```

```
[1] 0.05134119 0.09319077
```

Finally, a density plot with lines indicating the mean of estimates and the values of parameters:

```
> par(mfrow=c(1,2))
> plot(density(results[,1]), main=expression(paste("Density of ",mu)))
> abline(v=c(mean(results[,1]),5), col=2:3)
> plot(density(results[,2]), main=expression(paste("Density of ",sigma)))
> abline(v=c(mean(results[,2]), 2), col=2:3)
> par(mfrow=c(1,1))
```



Increasing the number of simulations improves these estimators.

## 7 Bugs and issues

The package project is hosted on GitHub (<https://github.com/piLaboratory/sads/>). Please report bugs and issues and give us your feedback at <https://github.com/piLaboratory/sads/issues>.

## References

- Bolker, B. & R Development Core Team, 2014. bbmle: Tools for general maximum likelihood estimation. R package version 1.0.16.
- Grøtan, V. & S. Engen, 2008. poilog: Poisson lognormal and bivariate Poisson lognormal distribution. R package version 0.4.
- MacArthur, R., 1957. On the relative abundance of bird species. *Proceedings of the National Academy of Sciences of the United States of America* **43**:293.
- May, R. M., 1975. Patterns of species abundance and diversity. In M. L. Cody & J. M. Diamond, editors, *Ecology and Evolution of Communities*, chapter 4, pages 81–120. Harvard University Press, Cambridge, MA.
- McGill, B., R. Etienne, J. Gray, D. Alonso, M. Anderson, H. Benecha, M. Dornelas, B. Enquist, J. Green, F. He, A. Hurlbert, A. E. Magurran, P. Marquet, B. Maurer, A. Ostling,

- C. Soykan, K. Ugland, & E. White, 2007. Species abundance distributions: moving beyond single prediction theories to integration within an ecological framework. *Ecology Letters* **10**:995–1015.
- Preston, F. W., 1948. The commonness and rarity of species. *Ecology* **29**:254–283.
- Wilson, J., 1991. Methods for fitting dominance/diversity curves. *Journal of Vegetation Science* **2**:35–46.