

# Package ‘tframe’

October 3, 2006

**Title** Time Frame coding kernel

**Description** Functions for writing code that is independent of the way time is represented. See `?tframe.Intro` for more details.

**Depends** R (>= 2.0.0)

**Imports** stats

**Version** 2006.10-1

**Date** 2006-10-03

**LazyLoad** yes

**License** Free. See the LICENCE file for details.

**Author** Paul Gilbert <pgilbert@bank-banque-canada.ca>

**Maintainer** Paul Gilbert <pgilbert@bank-banque-canada.ca>

**URL** <http://www.bank-banque-canada.ca/pgilbert>

## R topics documented:

<code>00tframe.Intro</code> . . . . .	2
<code>addDate</code> . . . . .	4
<code>checktframeConsistent</code> . . . . .	5
<code>classed</code> . . . . .	5
<code>diffLog</code> . . . . .	6
<code>earliestEnd</code> . . . . .	7
<code>freeze</code> . . . . .	8
<code>nseries</code> . . . . .	9
<code>percentChange</code> . . . . .	9
<code>selectSeries</code> . . . . .	10
<code>seqN</code> . . . . .	11
<code>seriesNames</code> . . . . .	11
<code>splice</code> . . . . .	12
<code>tbind</code> . . . . .	13
<code>testEqual</code> . . . . .	14
<code>testEqualtframes</code> . . . . .	15
<code>tfExpand</code> . . . . .	15
<code>tfdiff</code> . . . . .	17

tfplot . . . . .	18
tfprint . . . . .	19
tframe . . . . .	20
tfspan . . . . .	22
tfstart . . . . .	23
tfwindow . . . . .	24
trimNA . . . . .	25
ytoypc . . . . .	26

<b>Index</b>	<b>28</b>
--------------	-----------

---

00tframe.Intro	<i>Tframe - Generic Approach to Handling Time</i>
----------------	---

---

## Description

Programs for implementing an object oriented approach to handling different time representations.

## Details

The **tframe** package provides a kernel of functions for programming time series methods in a way that makes them relatively independently of the representation of time. `pkgframe` is intended to make it easier to write code which can use any new/better time representations when they appear. It also provides plotting, time windowing, and some other utility functions which are specifically intended for time series.

**tframe** provides generic methods by which code can be developed without too much dependence on the representation of time (i.e. specific time series objects). This can make most code very robust with respect to other (and future) improved/different representations of time. However, details like putting the time axis label on a plot may require a method for the the specific time representation.

The classes and methods associated with the implementation of `rts`, `cts` and `its` in `Splus` and `ts` in `R` accomplish some of these objectives. For many time series programs the availability of a *window* method provided by those classes is the main method which is needed. However, the time attributes of calculated objects are often lost and programmers must re-assign time attributes to the resulting object if they are to be retained. Historically this was done with `tsp`, but this relies on a particular time representation and would not work for other representations. In order to address this, the **tframe** methods attempt to separate the time representation from the data and allow statements like

```
tframe(x) <- tframe(y)
```

to make the time frame of `x` the same as that of `y`, without the need to worry about what time representation is used in `y`. In this assignment `x` and `y` need not be too similar (one might be a univariate series while the other is a matrix or an array or list of spatial or panel time series data), as long as they are similar in the time dimension. For the case where `tsp(x) <- tsp(y)` would make sense, that is effectively what the above `tframe` assignment will do, and for existing code, most of the conversion to these more robust methods is accomplished simply by changing "tsp" to "tframe" and `nrow()` for a time series matrix to `periods()`.

The `tframe` assignment example above is accomplished by switching the dispatch so that it follows the classes of the `tframe` of `y`, rather than the classes of `x` as would normally be done for the above kind of assignment. Doing this in a generic way allows for the possibility of future classes of time representation. This is different from the way that `rts`, `cts`, `its` and `ts` are implemented, in the sense that it is the `tframe` of the data which is assigned a class indicating the time representation, not the data object itself.

The most general (last) class of the tframe should be "tframe". The method "is.tframe" checks if an object is a tframe, and the method "is.tframed" checks if an object has a tframe. In general, tframe methods act on the time frame (tframe) and tframed methods act on data which is tframed.

More specific methods can be defined for any special time representation (methods are defined in this library for tframes of class c("default", "tframe") which in Splus are the old style tsp convention for time). Also, there is a sketched implementaion for rts, cts, its, and a class and methods style implementation of tsp called tf. The tframe's specific classes are called rtstframe, ctstframe, and itstframe, to prevent confusion using inherit(). The R version includes an implementaion for the ts time series class with tframe's specific class is tstframe.

When implementing a new time series, suppose it is called zzz, then the tframe attribute of an object using this time frame should have class c("zzz", "tframe"). (Note zzz should be different from the class of the object itself.) The most important methods which need to be supported are tframe.zzz(), start.zzz(), end.zzz(), and periods.zzz(). While frequency.zzz() should not in theory be necessary, it makes porting code much easier. Other methods which should be supported are time.zzz(), checktframeConsistent.zzz(), tfTruncate.zzz(), tfExpand.zzz(), earliestStartIndex.zzz(), earliestEndIndex.zzz(), latestStartIndex.zzz(), and latestEndIndex.zzz().

The method tfwindow is used in this library and is typically just the same as window, but the new name has been used because of historical changes and bugs in window, and in order to support the argument "warn" to suppress messages (when objects are windowed unnecessarily).

One implication of the desire to be able to use a statement like tframe(x) <- tframe(y) is that the tframe should not indicate which dim of the data is the time dimension. In general this will have to be another attribute of the data, but the current convention of using the first dimension for matrix data and the length for vector data, makes it unnecessary to specify.

Operations which should be possible on tframed data:

In the time dimension

- window (tfwindow), splice

In other dimensions

-tbind (like cbind) with shift to align the the tframe (and NA pad.start, pad.end, pad=TRUE/FALSE)

- [ ] without losing the tframe. This is done with selectSeries().

The attribute "seriesNames" is also supported as a way to indicate the names of series in an object. This overlaps with the use of "names" and "dimnames[[2]]" used previously for series names in S, but seems necessary in order to have a more complete generic decomposition of the time dimension from the other dimensions.

Many of the functions in the library are not yet individually documented (and were it exists the documentation is a draft) however, the functions are all very short and can be examined easily. The code in the tests subdirectory provides a short set of tests and may serve as an example.

```
Package:  tframe
Depends:  R
License:  free, see LICENSE file for details.
URL:      http://www.bank-banque-canada.ca/pgilbert
```

The main objects are:

```
tfdata      time series input and output data structure
```

## Author(s)

Paul Gilbert <pgilbert@bank-banque-canada.ca>

Maintainer: Paul Gilbert <pgilbert@bank-banque-canada.ca>

### See Also

[tframe](#), [tframed](#), [tfwindow](#), [tfplot](#)

---

addDate

*Add Periods to a Date*

---

### Description

Add periods to two element start date of given frequency to give a new date. NULL periods is treated as 0.

### Usage

```
addDate(date, periods, freq)
```

### Arguments

date	A two element date as used by tsp i.e c(year, period).
periods	A number of periods.
freq	The number of periods in a year.

### Value

A two element date.

### Note

A useful utility not strictly part of tframe.

### See Also

[tfExpand](#)

### Examples

```
addDate(c(1998,1), 20, 12)
```

---

```
checktframeConsistent
```

*Check for a Consistent tframe*

---

### Description

Check if tframe and a time series are consistent with one another.

### Usage

```
checktframeConsistent(tf, x)
## Default S3 method:
checktframeConsistent(tf, x)
```

### Arguments

<code>tf</code>	A tframe)
<code>x</code>	An object)

### Details

Check if the number of periods in the tframe corresponds to the number of observations in the time series.

### Value

A logical scalar.

### See Also

[is.tframe periods](#)

### Examples

```
z <- ts(rnorm(100), start=c(1982,1), frequency=12)
checktframeConsistent(tframe(z), rnorm(100))
```

---

```
classed
```

*Tframe Library Utilities*

---

### Description

Some utilities used by other functions in the tframe library.

### Usage

```
classed(x, cls)
```

**Arguments**

<code>x</code>	An object.
<code>cls</code>	A vector of strings.

---

<code>diffLog</code>	<i>Calculate the difference of log data</i>
----------------------	---

---

**Description**

Calculate the difference from lag periods prior for log of data.

**Usage**

```
diffLog(obj, lag=1, base = exp(1),
        names=paste("diff of log of ", seriesNames(obj)))
## Default S3 method:
diffLog(obj, lag=1, base = exp(1),
        names=paste("diff of log of ", seriesNames(obj)))
```

**Arguments**

<code>obj</code>	A time series object.
<code>lag</code>	The difference is calculated relative to lag periods prior.
<code>base</code>	Base to use when calculating logarithms.
<code>names</code>	names for the new series (but is details).

**Details**

The result is a time series of the difference relative to lag periods prior for the log of the data. lag data points are lost from the beginning of the series. Negative values will result in NAs.

The names are not applied to the new series if the global option `ModSeriesNames` is `FALSE`. This can be set with `options(ModSeriesNames=FALSE)`. This provides a convenient mechanism to prevent changing series labels on plot axis, when the title may indicate that data is in year-to-year percent change so the axis label does not need this.

**Value**

A time series vector or matrix.

**Examples**

```
z <- matrix(100 + rnorm(200),100,2)
z[z <= 0] <- 1 # not too likely, but it can happen
z <- diffLog(z)
```

---

earliestEnd	<i>Start and End for Objects with Multiple Time Series</i>
-------------	--

---

## Description

Return start or end date (or index of the object) from multiple time series objects.

## Usage

```
earliestEnd(x, ...)
earliestEndIndex(x, ...)
## Default S3 method:
earliestEndIndex(x, ...)
## S3 method for class 'tframe':
earliestEndIndex(x, ...)

earliestStart(x, ...)
earliestStartIndex(x, ...)
## Default S3 method:
earliestStartIndex(x, ...)
## S3 method for class 'tframe':
earliestStartIndex(x, ...)

latestEnd(x, ...)
latestEndIndex(x, ...)
## Default S3 method:
latestEndIndex(x, ...)
## S3 method for class 'tframe':
latestEndIndex(x, ...)

latestStart(x, ...)
latestStartIndex(x, ...)
## Default S3 method:
latestStartIndex(x, ...)
## S3 method for class 'tframe':
latestStartIndex(x, ...)
```

## Arguments

<code>x</code>	A tframe or tframed object.
<code>...</code>	Additional tframe or tframed objects.

## Details

These functions calculate the start and end of each object in the argument and return a result by comparing across objects. Thus, latestStart returns the start date of the object which starts latest and latestStartIndex returns the corresponding index of the object in the argument list.

## Value

A date or index.

**See Also**

[tframe](#) [tfwindow](#) [tfTruncate](#) [trimNA](#)

**Examples**

```
t1<-ts(c(1,2,3,4,5), start=c(1991,1))
t2<-ts(c(2,3,4,5,6,7,8), start=c(1992,1))
t3<-ts(c(NA,2,3,4,5), start=c(1991,1))

latestStart(t1,t2,t3) # 1992 1 corresponding to the starting date of
                      # the object which starts latest (t2)
latestStart(t1,t3)    # both start in 1991 1 (NAs count as data)
latestStart(tbind(t1,t2,t3)) # tbind gives a single object starting in 1991 1
latestStart(t2, tbind(t1,t2,t3))

latestStartIndex(t1,t2,t3) # position of t2 in the argument list
```

---

freeze

*Get fixed data snapshot*

---

**Description**

Generic method. See specific methods for details.

**Usage**

```
freeze(data, ...)
## Default S3 method:
freeze(data, ...)
```

**Arguments**

<code>data</code>	A data source description.
<code>...</code>	Additional arguments for specific methods.

**Details**

This function extracts data from a database (for example using the TS PADI programs are available at [www.bank-banque-canada.ca/pgilbert](http://www.bank-banque-canada.ca/pgilbert)). This method is generic. The function logically belongs with the `tfpadi` functions in the `dsepadi` package but the generic and default are included here since they are required in many functions whereas the database interface has much more limited use. Typically the argument `data` is a `tfPADIdata` or `TSPADIdata` object identifying the source of the data. See help for `tfPADIdata` and `TSPADIdata`. The default method usually just returns its argument, so `freeze` has no effect. This way `freeze` can be used to write functions which will take a snapshot from the database when they execute or will work with an already fixed copy of data if that is what is supplied. The default does allow for a character argument, in which case it is used to construct a `tfPADIdata` object using `server="ets"`, then `freeze` that object. This allows for a simple syntax to grab a series from the database. The `server="ets"` is for convenience at the Bank of Canada and another default server might be more convenient elsewhere.

**See Also**

[tfPADIdata](#) [tfputpadi](#) [freeze.tfPADIdata](#) [freeze.TSPADIdata](#) [TSPADIdata](#)



---

nseries	<i>Number of Series</i>
---------	-------------------------

---

**Description**

Return the number of series.

**Usage**

```
nseries(x)
## Default S3 method:
nseries(x)
```

**Arguments**

x                    A time series object.

**Details**

Generic method to return the number of series.

**Value**

An integer.

**Examples**

```
nseries(tbind(rnorm(100,20,5)))
```

---

percentChange	<i>Calculate percent change</i>
---------------	---------------------------------

---

**Description**

Calculate the percent change relative to the data lag periods prior.

**Usage**

```
percentChange(obj, ...)
## Default S3 method:
percentChange(obj, base=NULL, lag=1, cumulate=FALSE, e=FALSE, ...)
```

**Arguments**

<code>obj</code>	An object on which the calculation is to be done. The default method works for a time series vector or matrix (with columns corresponding to series, which are treated individually).
<code>e</code>	If <code>e</code> is <code>TRUE</code> the exponent of the series is used (after cumulating if <code>cumulate</code> is <code>TRUE</code> ). <code>e</code> can be a logical vector with elements corresponding to columns of <code>obj</code> .
<code>base</code>	If <code>base</code> is provided it is treated as the first period value (that is, prior to differencing). It is prefixed to the <code>m</code> prior to cumulating. It should be a vector of length <code>dim(m)[2]</code> . (If <code>e</code> is <code>TRUE</code> then <code>base</code> should be log of the original data).
<code>lag</code>	integer indicating the number of periods relative to which the percent change should be calculated.
<code>cumulate</code>	logical indicating if the series should be cumulated before the percent change is calculated.
<code>...</code>	arguments passed to other methods.

**Details**

Calculate the percent change relative to the data lag periods prior. If `cumulate` is `TRUE` then the data is cumulated first. `cumulate` can be a logical vector with elements corresponding to columns of `obj`.

**Value**

The default method returns a time series matrix.

**See Also**

[ytoypc](#)

---

<code>selectSeries</code>	<i>Extract a Subset of Series</i>
---------------------------	-----------------------------------

---

**Description**

Extract a subset of series from a `tframed` object.

**Usage**

```
selectSeries(x, series = seqN(nseries(x)))
## Default S3 method:
selectSeries(x, series = seqN(nseries(x)))
## S3 method for class 'ts':
selectSeries(x, series = seqN(nseries(x)))
```

**Arguments**

<code>x</code>	A <code>tframed</code> object.
<code>series</code>	The subset of series to retain.

**Details**

This is like `[ , , drop=FALSE]` but retains class, series name and tframe information. It also provides a methods which works with multivariate series which are not matrices (e.g. `tfPADIdata`).

**Value**

A tframed object.

**See Also**

`seriesNames tfPADIdata`

**Examples**

```
z <- selectSeries(matrix(rnorm(1000), 100,10), series=c(2, 5, 6))
```

---

seqN	<i>Tframe Library Utilities</i>
------	---------------------------------

---

**Description**

Some utilities used by other functions in the tframe library.

**Usage**

```
seqN(N)
```

**Arguments**

N                      NULL, 0, or a positive integer

---

seriesNames	<i>Names of Series in a time series object</i>
-------------	--

---

**Description**

Extract or set names of series in a time series object.

**Usage**

```
seriesNames(x)
## Default S3 method:
seriesNames(x)

seriesNames(x) <- value
## Default S3 method:
seriesNames(x) <- value
## S3 method for class 'ts':
seriesNames(x) <- value
```

**Arguments**

x	a time series object.
value	names to be given to time series.

**Value**

The first usage returns a vector of strings with the series names. The assignment method makes names (a vector of strings) the series names of data.

**See Also**

[tframed](#), [seriesNamesInput](#), [seriesNamesOutput](#)

**Examples**

```
z <- matrix(rnorm(100), 50, 2)
seriesNames(z) <- c("a", "b")
seriesNames(z)
```

---

splice

*Splice Time Series*


---

**Description**

Splice together (in time dimension) two time series objects. This function can also be used to overlay obj1 on obj2 (obj1 takes precedence). The time windows do not have to correspond.

**Usage**

```
splice(mat1, mat2, ...)
## Default S3 method:
splice(mat1, mat2, ...)
```

**Arguments**

mat1	A time series object.
mat2	A time series object.
...	arguments to be passed to other methods (not used by the default method).

**Details**

Splice together two time series objects. The mat1 and mat2 objects should contain the same number of time series variables and be arranged in the same order. (e.g. - the first column of mat1 is spliced to the first column of mat2, etc.). If data is provided in both mat1 and mat2 for a given period then mat1 takes priority. The frequencies should be the same.

**Value**

A time series object

**See Also**

[tfwindow](#), [trimNA](#), [tbind](#)

**Examples**

```
splice(ts(matrix(rnorm(24),24,1), start=c(1980,1), frequency=4),
       ts(matrix(rnorm(6), 6,1), start=c(1986,1), frequency=4))
```

---

tbind

*Bind Time Series*


---

**Description**

Bind together (in non-time dimension) two time series objects.

**Usage**

```
tbind(x, ..., pad.start=TRUE, pad.end=TRUE, warn=TRUE)
## Default S3 method:
tbind(x, ..., pad.start=TRUE, pad.end=TRUE, warn=TRUE)
## S3 method for class 'ts':
tbind(x, ..., pad.start=TRUE, pad.end=TRUE, warn=TRUE)
```

**Arguments**

x	A time series object.
...	Time series objects.
pad.start	Logical indicating if the start should be truncated or padded with NAs to align time.
pad.end	Logical indicating if the end should be truncated or padded with NAs to align time.
warn	Logical indicating if warnings should be issued.

**Details**

Bind data as in cbind (or formerly tsmatrix) and align time dimension. The default action pads series with NA to time union. If pad.start and/or pad.end is FALSE and the intersection is empty then NULL is returned and a warning is issued if warn=TRUE.

**Value**

A time series object

**See Also**

[tfwindow](#), [trimNA](#), [splice](#)

**Examples**

```
tbind(      ts(matrix(rnorm(24),24,1), start=c(1986,1), frequency=4),
            ts(matrix(rnorm(6), 6,1), start=c(1986,1), frequency=4))
```

---

`testEqual`*Compare Two Objects*

---

### Description

Generic function to compare two objects. The methods return a logical value, TRUE if the objects are the same type and value and FALSE otherwise. The default compares array values but not attributes or class. Some descriptive information in the objects may be ignored.

### Usage

```
testEqual(obj1, obj2, fuzz = 0)
## Default S3 method:
testEqual(obj1, obj2, fuzz = 1e-16)
## S3 method for class 'array':
testEqual(obj1, obj2, fuzz = 1e-16)
## S3 method for class 'list':
testEqual(obj1, obj2, fuzz = 1e-16)
## S3 method for class 'matrix':
testEqual(obj1, obj2, fuzz = 1e-16)
## S3 method for class 'numeric':
testEqual(obj1, obj2, fuzz = 1e-16)
```

### Arguments

<code>obj1, obj2</code>	Objects of the same class.
<code>fuzz</code>	Differences less than fuzz are ignored.

### Details

The functions for comparing numeric values used in the default method for this generic replacement.

### Value

TRUE or FALSE.

### See Also

[`testEqualtframes`](#)

### Examples

```
testEqual(matrix(1:10,10,2), array(1:10, c(10,2)))
testEqual(matrix(1:10,10,1), 1:10)
```

---

testEqualtframes	<i>Compare Two Time Frames</i>
------------------	--------------------------------

---

### Description

Generic function to compare two time frames. The methods return a logical value, TRUE if the time frames are the same type and value and FALSE otherwise.

### Usage

```
testEqualtframes(tf1,tf2)
## Default S3 method:
testEqualtframes(tf1,tf2)
## S3 method for class 'stamped':
testEqualtframes(tf1,tf2)
```

### Arguments

tf1, tf2      Time frames of the same class.

### Details

Time frames are compared. Time frames need to be of the same class (although it would be nice if they did not need to be).

### Value

TRUE or FALSE

### See Also

[testEqual](#)

### Examples

```
testEqualtframes(tframe(matrix(1:10,10,2)), tframe(array(1:10, c(10,2))))
```

---

tfExpand	<i>Expand a Tframe or Tframed Object.</i>
----------	---

---

### Description

Expand a tframe or tframed object.

**Usage**

```

tfExpand(x, add.start = 0, add.end = 0)
## Default S3 method:
tfExpand(x, add.start = 0, add.end = 0)
## S3 method for class 'tframe':
tfExpand(x, add.start = 0, add.end = 0)

tfTruncate(x, start=NULL, end=NULL)
## Default S3 method:
tfTruncate(x, start=NULL, end=NULL)
## S3 method for class 'tframe':
tfTruncate(x, start=NULL, end=NULL)

```

**Arguments**

<code>x</code>	A tframe or tframed object.
<code>start</code>	an integer indicating the position at which the new tframe is to start.
<code>end</code>	an integer indicating the position at which the new tframe is to end.
<code>add.start</code>	an integer indicating the number of periods on the beginning.
<code>add.end</code>	an integer indicating the number of periods on the end.

**Details**

These methods are like `tfwindow` but use position indicators (rather than dates) and work with a tframe or tframed data. Applied to a tframe they return an adjusted tframe. Applied to a tframed object they return an adjusted object with its adjusted tframe. They are low level utilities for other functions.

**Value**

A tframe or tframed object.

**See Also**

[tfwindow](#) [tframed](#)

**Examples**

```

z <- ts(rnorm(100), start=c(1982,1), frequency=12)
Dz <- tframed(diff(z), tfTruncate(tframe(z), start=2))
tframe(Dz)
IDz <- tframed(cumsum(c(0, Dz)), tfExpand(tframe(Dz), add.start=1))
tframe(IDz)
tframe(tfTruncate(z, start=5))

```



---

`tfdiff`*Time Series Differencing*

---

## Description

Difference a tframed object.

## Usage

```
tfdiff(x, lag=1, differences=1)
## Default S3 method:
tfdiff(x, lag=1, differences=1)
## S3 method for class 'tframe':
tfdiff(x, lag=1, differences=1)
## S3 method for class 'tframed':
diff(x, lag=1, differences=1, ...)
```

## Arguments

<code>x</code>	a tframed object.
<code>lag</code>	difference calculated relative to lag periods previous.
<code>differences</code>	order of differencing.
<code>...</code>	arguments to be passed to other methods.

## Details

A time framed object is created by differencing the number of times indicated by differences at a lagged number of periods indicated by lag. The default is take the difference from data one period previous.

## See Also

[diff](#), [lag](#)

## Examples

```
z <- ts(rnorm(100), start=c(1982,1), frequency=12)
tfstart(z)
tfperiods(z)
z <- tfdiff(z)
tfstart(z)
tfperiods(z)
```

tfplot

*Plot Tframed Objects***Description**

Plot tframe or tframed objects.

**Usage**

```
tfplot(x, ...)

## Default S3 method:
tfplot(x, ..., tf=tfspan(x, ...), start=tfstart(tf), end=tfend(tf),
       series=seq(nseries(x)), Title=NULL,
       lty = 1:5, lwd = 1, pch = NULL, col = 1:6, cex = NULL,
       xlab=NULL, ylab=seriesNames(x), xlim = NULL, ylim = NULL,
       graphs.per.page=5, par=NULL, mar=par()$mar, reset.screen=TRUE)
tfOnePlot(x, tf=tframe(x), start=tfstart(tf), end=tfend(tf),
          lty=1:5, lwd=1, pch=NULL, col=1:6, cex=NULL,
          xlab=NULL, ylab=NULL, xlim=NULL, ylim=NULL, ...)
```

**Arguments**

<code>x</code>	a tframe or tframed object to plot.
<code>...</code>	any additional tframed objects for the same plot.
<code>start</code>	start of plot. (passed to tfwindow)
<code>end</code>	end of plot. (passed to tfwindow)
<code>tf</code>	a tframe or tframed object which can be used to specify start and end.
<code>series</code>	series to be plotted. (passed to selectSeries)
<code>Title</code>	string to use for plot title (but see details).
<code>lty</code>	passed to matplot. See also par.)
<code>lwd</code>	passed to matplot. See also par.)
<code>pch</code>	passed to matplot. See also par.)
<code>col</code>	passed to matplot. See also par.)
<code>cex</code>	passed to matplot. See also par.)
<code>xlab</code>	string to use for x label (passed to plot).
<code>ylab</code>	string to use for y label (passed to plot).
<code>xlim</code>	passed to matplot. See also par.)
<code>ylim</code>	passed to matplot. See also par.)
<code>graphs.per.page</code>	integer indicating number of graphs to place on a page.
<code>par</code>	a list of arguments passed to par() before plotting.)
<code>mar</code>	margins passed to plot (deprecated, use par.)
<code>reset.screen</code>	logical indicating if the plot window should be cleared before starting. If this is not TRUE then mar values will have no effect.

## Details

In many cases these are the same as plot methods, however, `tfplot` puts different series in the object `x` in different plot panels, whereas `plot` usually puts them in the same panel. For this reason, `tfplot` tends to work better when the scale of the different series are very different. If additional objects are supplied, then they should each have the same number of series as `x` and all corresponding series will be plotted in the same panel.

`tfplot` provides an alternate generic mechanism for plotting time series data. New classes of time series may define their own `tfplot` (and `plot`) methods.

The `start` and `end` arguments to `tfplot` determine the start and end of the plot. The argument `tf` is an alternate way to specify the start and end. It is ignored if `start` and `end` are specified.

If `xlim` and `ylim` are not `NULL` they should be a vector of two elements giving the max and min, which are applied to all graphs, or a list of length equal to the number of series to be plotted with each list element being the two element vector for the corresponding plot limits.

The `Title` is not put on the plot if the global option `PlotTitles` is `FALSE`. This can be set with `options(PlotTitles=FALSE)`. This provides a convenient mechanism to omit all titles when the title may be added separately (e.g. in LaTeX).

## Value

None.

## Side Effects

An object is plotted.

## See Also

`tfprint` `tframe` `tframed` `print` `plot` `matplot` `par`

## Examples

```
tfplot(ts(rnorm(100), start=c(1982,1), frequency=12))
tfplot(ts(rnorm(100), start=c(1982,1), frequency=12), start=c(1985,6))
```

---

`tfprint`

*Print Tframed Objects*

---

## Description

Print `tframe` or `tframed` objects.

## Usage

```
tfprint(x, ...)
## Default S3 method:
tfprint(x, ...)
## S3 method for class 'tframe':
tfprint(x, ...)
## S3 method for class 'tframe':
print(x, ...)
```

**Arguments**

`x` a tframe or tframed object.  
`...` arguments to be passed to other methods.

**Details**

`tfprint` prints data in a tframed object while `tframePrint` prints the tframe. In many cases these are the same as print methods. However, `tfprint` tries to provide an alternate generic mechanism that is consistent with the tframe view of the data. This may not always be the preferred print method. Also, new classes of time series may define their own print methods in ways which use a different logic from the tframe library. Thus `tfprint` provides a way to program functions which use methods consistent with the tframe library logic.

**Value**

`tfprint` methods return the object invisibly.

**Side Effects**

An object is printed.

**See Also**

[tfplot](#) [tframe](#) [tframed](#) [print](#) [plot](#)

**Examples**

```
tfprint(ts(rnorm(100)))
```

---

tframe

*Extract or Set a tframe*


---

**Description**

Extract or set the tframe of an object.

**Usage**

```
tframe(x)
## Default S3 method:
tframe(x)
## S3 method for class 'ts':
tframe(x)

tframe(x) <- value
## Default S3 method:
tframe(x) <- value
## S3 method for class 'ts':
tframe(x) <- value

tframed(x, tf=NULL, names = NULL)
```

```
## Default S3 method:
tframed(x, tf = NULL, names = NULL)

is.tframe(x)
is.tframed(x)
```

### Arguments

<code>x</code>	an object (to which a tframe is assigned in assignment methods).
<code>value</code>	a tframe.
<code>tf</code>	a tframe object or a tframed object from which a tframe is taken.
<code>names</code>	optional vector of strings to specify new series names.

### Details

The first usage returns the tframe of a tframed object. The assignment methods and tframed set the tframe of an object. `is.tframe` returns a logical.

The pure tframe approach is to set a "tframe" attribute for an object. This attribute has a class which indicates the time framing which is used. The time frame information is often secondary, in the sense that it does not describe the object structure, but only provides some additional information which is useful for doing time based operations on the data, plotting, and printing the object. By putting this in an attribute, the objects class can be used for indicating other information about the structure of the object. For these pure tframe objects the default `tframe` and `codetframe<-` will often be adequate. The generic/method approach allows for special case (like TSdata where the tframe information is not an attribute of the object, but rather an attribute of the data matrices which are elements of the object).

The generic/method approach also allows for (faking) tframe assignment and extraction with classes like `rts`, `etc`, `its`, `ts`, and others which may appear, that try to make the time description part of the object class. (Not a "tframe" approach.) The problem is to extract real tframes and also fake these other classes and old style `tsp` objects so they look like tframed objects. Another approach would be to mutilate these objects and force them really be tframed objects (to have a tframe attribute), but that risks conflicting with other (non tframe) code which used the objects. This faking is accomplished by specific methods of the classes, and for old style `tsp` objects it is built into the default.

This `tframed` constructor is simply a shortcut for assigning the tframe (`tframe(x) <- tf`) and series names (`seriesNames(x) <- names`) to an object, but never assigns `NULL` values, so the result is guaranteed to be a `codetframed` object. It is like `ts` but enables the tframe library's methods for handling time. If the `tf` argument is a `tframed` object rather than a `tframe`, then the `codetframe` is extracted and used. If the `names` argument is not mode "character" of appropriate length, then `seriesNames(names)` is used. These make it simple to assign the time frame and names of one object to another by `z <- tframed(x, tf=y, names=y)`.

`is.tframed` returns `TRUE` if a `tframe()` can extract a tframe from the object. This is true for many objects which are not truly tframed (like `ts` objects), since `tframe()` tries fairly hard to build a tframe for the object.

### Value

Depends.

### See Also

[tfstart](#), [tfend](#), [tffrequency](#), [tfperiods](#), [tftime](#), [tfdiff](#)

**Examples**

```

z <- tframe(ts(rnorm(100), start=c(1982,1), frequency=12))
is.tframe(z)
zz <- tframed(matrix(rnorm(200), 100,2), tf=z)
is.tframed(zz)
zzz <- tframed(matrix(rnorm(200), 100,2), tf=zz)
is.tframed(zzz)
tframe(zzz)

```

---

tfspan	<i>Time Span</i>
--------	------------------

---

**Description**

Calculate Time Span of Objects.

**Usage**

```
tfspan(x, ...)
```

**Arguments**

**x**                    a tframe or a tframed object.  
**...**                other tframes or tframed objects.

**Details**

Calculate the time frame from the earliest start to latest end of all arguments.

**Value**

A tframe

**See Also**

[tframe](#), [tframed](#) [start](#) [end](#) [frequency](#) [periods](#) [time](#)

**Examples**

```

z <- ts(rnorm(100), start=c(1982,1), frequency=12)
zz <- ts(rnorm(100), start=c(1992,1), frequency=12)
tfspan(z, zz)

```

---

tfstart

---

*Extract Time Frame Information*


---

## Description

Functions for extracting time frame information.

## Usage

```
## S3 method for class 'tframed':
start(x, ...)
## S3 method for class 'tframe':
start(x, ...)
tfstart(x)
## Default S3 method:
tfstart(x)
## S3 method for class 'tstframe':
tfstart(x)

## S3 method for class 'tframed':
end(x, ...)
## S3 method for class 'tframe':
end(x, ...)
tfend(x)
## Default S3 method:
tfend(x)
## S3 method for class 'tstframe':
tfend(x)

## S3 method for class 'tframed':
frequency(x, ...)
## S3 method for class 'tframe':
frequency(x, ...)
tffrequency(x)
## Default S3 method:
tffrequency(x)

periods(x)
## Default S3 method:
periods(x)
## S3 method for class 'tframed':
periods(x)
## S3 method for class 'tframe':
periods(x)
tfperiods(x)
## Default S3 method:
tfperiods(x)
## S3 method for class 'stamped':
tfperiods(x)

## S3 method for class 'tframed':
```

```

time(x, ...)
## S3 method for class 'tframe':
time(x, ...)
tftime(x)
## Default S3 method:
tftime(x)
## S3 method for class 'tframed':
time(x, ...)

```

### Arguments

`x` a tframe or a tframed object.

`...` arguments to be passed to other methods.

### Details

The methods `start` and `end` return the start or end date of a tframe or tframed object. `Periods` return the number of observations (time points). `frequency` returns the frequency of observation, typically the number of observations in a year for economic data, but possibly something else in other contexts. The concept of frequency is not very consistently defined for time series data, and the use of the frequency method should probably be avoided where possible. In practice it seems rarely necessary, but the method makes porting of older code much easier.

### Value

Depends

### See Also

[tframe](#), [tframed](#) [start](#) [end](#) [frequency](#) [periods](#) [time](#) [lag](#) [diff](#)

### Examples

```

z <- ts(rnorm(100), start=c(1982,1), frequency=12)
tfstart(z)
z <- tframed(matrix(rnorm(200), 100,2),
                  tf=list(start=c(1982,1), frequency=12))
tfend(z)
periods(z)
time(z)

```

---

tfwindow

*Truncate a Time Series*

---

### Description

Truncate a time series object to a time window.



**Usage**

```
tfwindow(x, tf=NULL, start=tfstart(tf), end=tfend(tf), warn=TRUE)
## Default S3 method:
tfwindow(x, tf=NULL, start=tfstart(tf), end=tfend(tf), warn=TRUE)
## S3 method for class 'ts':
tfwindow(x, tf=NULL, start=tfstart(tf), end=tfend(tf), warn=TRUE)
## S3 method for class 'tframe':
tfwindow(x, tf=NULL, start=tfstart(tf), end=tfend(tf), warn=TRUE)
```

**Arguments**

<code>x</code>	A time series object.
<code>start</code>	A start date of a format compatible with the time series
<code>end</code>	An end date of a format compatible with the time series
<code>tf</code>	A tframe or tframed object
<code>warn</code>	A logical indicating if warning should be produced

**Details**

If `start` or `end` are omitted and `tf` is specified then the start or end is taken from the `tf` object. For `ts` class objects this function calls `window` but makes more effort to preserve `seriesNames` if `x` has them. It also supports the optional argument `warn` to suppress warning messages. Frequently it is convenient to write code which always truncates to a window without first checking if the data is already within the window. Since `window` produces a warning in this situation, the optional argument is frequently useful when `tfwindow` is used by other code. In `Spplus` `tfwindow` also corrects for some bugs in older versions of `window`.

The method for windowing a `tframe` is a utility to be used by other programs and would not typically be called by a user.

**Value**

A time series object similar to `x`, but typically spanning a shorter time period.

**Examples**

```
z <- ts(matrix(rnorm(24),24,1), start=c(1980,1), frequency=4)
zz <- tfwindow(z, start=c(1982,2))
zzz <- matrix(rnorm(24),24,1)
tframe(zzz) <- tframe(z)
tfwindow(zzz, tf=tframe(zz))
```

**Description**

Trim NAs from the start and end of a time series object.

**Usage**

```
trimNA(x, startNAs=TRUE, endNAs=TRUE)
## Default S3 method:
trimNA(x, startNAs=TRUE, endNAs=TRUE)
```

**Arguments**

**x** A time series matrix or an object of class TSdata.  
**startNAs** If FALSE then beginning NAs are not trimmed.  
**endNAs** If FALSE then ending NAs are not trimmed.

**Details**

Trim NAs from the ends of a time series object. Observations in a given period for all series are dropped if any one contains an NA.

**Value**

A time series object which is windowed to the subset of data which is not NAs (usually the available data).

**Examples**

```
trimNA(ts(rbind(NA, matrix(1:20,10,2)), start=c(1980,1), frequency=12))
```

---

ytoypc	<i>Convert to year to year percent change</i>
--------	---

---

**Description**

Convert level data to year over year percent change.

**Usage**

```
ytoypc(obj, names = paste("y to y %ch", seriesNames(obj)))
## Default S3 method:
ytoypc(obj, names = paste("y to y %ch", seriesNames(obj)))
```

**Arguments**

**obj** A time series object.  
**names** names for the new series (but is details).

**Details**

The result is a time series of the year over year percent change. This uses percentChange with lag=frequency(obj).

The names are not applied to the new series if the global option ModSeriesNames is FALSE. This can be set with options(ModSeriesNames=FALSE). This provides a convenient mechanism to prevent changing series labels on plot axis, when the title may indicate that data is in year-to-year percent change so the axis label does not need this.

**Value**

A time series vector or matrix.

**See Also**

[percentChange](#)

**Examples**

```
z <- matrix(100 + rnorm(200),100,2)
z[z == 0] <- 1 # not to likely, but it can happen
z <- ytoypc(z)
```

# Index

## \*Topic **chron**

- [addDate, 3](#)
- [checktfFrameConsistent, 4](#)
- [earliestEnd, 6](#)
- [testEqualtfFrames, 14](#)
- [tfExpand, 15](#)
- [tfFrame, 19](#)
- [tfspan, 21](#)
- [tfstart, 22](#)
- [tfwindow, 23](#)
- [trimNA, 24](#)

## \*Topic **data**

- [freeze, 7](#)

## \*Topic **hplot**

- [tfplot, 17](#)

## \*Topic **internal**

- [classed, 5](#)
- [seqN, 10](#)
- [tfdiff, 16](#)

## \*Topic **programming**

- [00tfFrame.Intro, 1](#)
- [addDate, 3](#)
- [checktfFrameConsistent, 4](#)
- [earliestEnd, 6](#)
- [freeze, 7](#)
- [nseries, 8](#)
- [selectSeries, 10](#)
- [seriesNames, 11](#)
- [splice, 11](#)
- [tbind, 12](#)
- [testEqual, 13](#)
- [testEqualtfFrames, 14](#)
- [tfExpand, 15](#)
- [tfplot, 17](#)
- [tfprint, 18](#)
- [tfFrame, 19](#)
- [tfspan, 21](#)
- [tfstart, 22](#)
- [tfwindow, 23](#)
- [trimNA, 24](#)

## \*Topic **ts**

- [00tfFrame.Intro, 1](#)
- [addDate, 3](#)

- [checktfFrameConsistent, 4](#)
- [diffLog, 5](#)
- [earliestEnd, 6](#)
- [freeze, 7](#)
- [nseries, 8](#)
- [percentChange, 9](#)
- [selectSeries, 10](#)
- [seriesNames, 11](#)
- [splice, 11](#)
- [tbind, 12](#)
- [testEqualtfFrames, 14](#)
- [tfExpand, 15](#)
- [tfplot, 17](#)
- [tfprint, 18](#)
- [tfFrame, 19](#)
- [tfspan, 21](#)
- [tfstart, 22](#)
- [tfwindow, 23](#)
- [trimNA, 24](#)
- [ytoypc, 25](#)

## \*Topic **utilities**

- [00tfFrame.Intro, 1](#)
- [addDate, 3](#)
- [checktfFrameConsistent, 4](#)
- [earliestEnd, 6](#)
- [nseries, 8](#)
- [selectSeries, 10](#)
- [seriesNames, 11](#)
- [splice, 11](#)
- [tbind, 12](#)
- [testEqual, 13](#)
- [testEqualtfFrames, 14](#)
- [tfExpand, 15](#)
- [tfplot, 17](#)
- [tfprint, 18](#)
- [tfFrame, 19](#)
- [tfspan, 21](#)
- [tfstart, 22](#)
- [tfwindow, 23](#)
- [trimNA, 24](#)

- [00.tfFrame.Intro\(00tfFrame.Intro\), 1](#)

- [00tfFrame.Intro, 1](#)

addDate, 3  
 checktfFrameConsistent, 4  
 classed, 5  
 diff, 16, 23  
 diff.tframed(tfdiff), 16  
 diffLog, 5  
 earliestEnd, 6  
 earliestEndIndex(earliestEnd), 6  
 earliestStart(earliestEnd), 6  
 earliestStartIndex(earliestEnd), 6  
 end, 21, 23  
 end.tframe(tfstart), 22  
 end.tframed(tfstart), 22  
 freeze, 7  
 freeze.tfPADIdata, 8  
 freeze.TSPADIdata, 8  
 frequency, 21, 23  
 frequency.tframe(tfstart), 22  
 frequency.tframed(tfstart), 22  
 is.tframe, 5  
 is.tframe(tframe), 19  
 is.tframed(tframe), 19  
 lag, 16, 23  
 latestEnd(earliestEnd), 6  
 latestEndIndex(earliestEnd), 6  
 latestStart(earliestEnd), 6  
 latestStartIndex(earliestEnd), 6  
 matplot, 18  
 nseries, 8  
 par, 18  
 percentChange, 9, 26  
 periods, 5, 21, 23  
 periods(tfstart), 22  
 plot, 18, 19  
 print, 18, 19  
 print.tframe(tfprint), 18  
 selectSeries, 10  
 seqN, 10  
 seriesNames, 10, 11  
 seriesNames<-(seriesNames), 11  
 seriesNamesInput, 11  
 seriesNamesOutput, 11  
 splice, 11, 13  
 start, 21, 23  
 start.tframe(tfstart), 22  
 start.tframed(tfstart), 22  
 tbind, 12, 12  
 testEqual, 13, 15  
 testEqualtframes, 14, 14  
 tfdiff, 16, 20  
 tfend, 20  
 tfend(tfstart), 22  
 tfExpand, 4, 15  
 tffrequency, 20  
 tffrequency(tfstart), 22  
 tfOnePlot(tfplot), 17  
 tfPADIdata, 8, 10  
 tfperiods, 20  
 tfperiods(tfstart), 22  
 tfplot, 3, 17, 19  
 tfprint, 18, 18  
 tfputpadi, 8  
 tframe, 3, 7, 18, 19, 19, 21, 23  
 tframe-package(00tframe.Intro), 1  
 tframe.Intro(00tframe.Intro), 1  
 tframe<-(tframe), 19  
 tframed, 3, 11, 15, 18, 19, 21, 23  
 tframed(tframe), 19  
 tfspan, 21  
 tfstart, 20, 22  
 tftime, 20  
 tftime(tfstart), 22  
 tfTruncate, 7  
 tfTruncate(tfExpand), 15  
 tfwindow, 3, 7, 12, 13, 15, 23  
 time, 21, 23  
 time.tframe(tfstart), 22  
 time.tframed(tfstart), 22  
 trimNA, 7, 12, 13, 24  
 TSPADIdata, 8  
 ytoypc, 9, 25