

# Package ‘mlt’

April 29, 2025

**Title** Most Likely Transformations

**Version** 1.6-4

**Date** 2025-04-29

**Description** Likelihood-based estimation of conditional transformation models via the most likely transformation approach described in Hothorn et al. (2018) <[DOI:10.1111/sjos.12291](https://doi.org/10.1111/sjos.12291)> and Hothorn (2020) <[DOI:10.18637/jss.v092.i01](https://doi.org/10.18637/jss.v092.i01)>. Shift-scale (Siegfried et al, 2023, <[DOI:10.1080/00031305.2023.2203177](https://doi.org/10.1080/00031305.2023.2203177)>) and multivariate (Klein et al, 2022, <[DOI:10.1111/sjos.12501](https://doi.org/10.1111/sjos.12501)>) transformation models are part of this package. A package vignette is available from <[DOI:10.32614/CRAN.package.mlt.docreg](https://doi.org/10.32614/CRAN.package.mlt.docreg)> and more convenient user interfaces to many models from <[DOI:10.32614/CRAN.package.tram](https://doi.org/10.32614/CRAN.package.tram)>.

**Depends** basefun (>= 1.2-1), variables (>= 1.1-0)

**Imports** BB, alabama, stats, quadprog, coneproj, graphics, methods, grDevices, sandwich, numDeriv, survival, Matrix, nloptr, mvtnorm

**Suggests** MASS, nnet, TH.data, multcomp, qrng

**URL** <http://ctm.R-forge.R-project.org>

**License** GPL-2

**Encoding** UTF-8

**NeedsCompilation** yes

**Author** Torsten Hothorn [aut, cre] (<<https://orcid.org/0000-0001-8301-0471>>)

**Maintainer** Torsten Hothorn <Torsten.Hothorn@R-project.org>

**Repository** CRAN

**Date/Publication** 2025-04-29 13:20:02 UTC

## Contents

mlt-package . . . . .	2
confband . . . . .	3
ctm . . . . .	4

ctm-methods . . . . .	5
mlt . . . . .	6
mlt-methods . . . . .	7
mltoptim . . . . .	9
mmmlt . . . . .	10
mmmlt-methods . . . . .	12
plot-predict-simulate . . . . .	13
R . . . . .	17
<b>Index</b>	<b>20</b>

---

mlt-package	<i>General Information on the <b>mlt</b> Package</i>
-------------	--

---

**Description**

The **mlt** package implements maximum likelihood estimation in conditional transformation models as introduced by Hothorn et al. (2020), Klein et al. (2022), and Siegfried et al. (2023).

An introduction to the package is available in the `mlt` package vignette from package `mlt.docreg` (Hothorn, 2020).

Novice users might find the high(er) level interfaces offered by package **tram** more convenient.

**Author(s)**

This package is authored by Torsten Hothorn <Torsten.Hothorn@R-project.org>.

**References**

Torsten Hothorn, Lisa Moest, Peter Buehlmann (2018), Most Likely Transformations, *Scandinavian Journal of Statistics*, **45**(1), 110–134, [doi:10.1111/sjos.12291](https://doi.org/10.1111/sjos.12291).

Torsten Hothorn (2020), Most Likely Transformations: The `mlt` Package, *Journal of Statistical Software*, **92**(1), 1–68, [doi:10.18637/jss.v092.i01](https://doi.org/10.18637/jss.v092.i01)

Nadja Klein, Torsten Hothorn, Luisa Barbanti, Thomas Kneib (2022), Multivariate Conditional Transformation Models. *Scandinavian Journal of Statistics*, **49**, 116–142, [doi:10.1111/sjos.12501](https://doi.org/10.1111/sjos.12501).

Sandra Siegfried, Lucas Kook, Torsten Hothorn (2023), Distribution-Free Location-Scale Regression, *The American Statistician*, **77**(4), 345–356, [doi:10.1080/00031305.2023.2203177](https://doi.org/10.1080/00031305.2023.2203177).

Torsten Hothorn (2024), On Nonparanormal Likelihoods. [doi:10.48550/arXiv.2408.17346](https://doi.org/10.48550/arXiv.2408.17346).

---

confband*Confidence Bands*

---

## Description

Confidence bands for transformation, distribution, survivor or cumulative hazard functions

## Usage

```
confband(object, newdata, level = 0.95, ...)  
## S3 method for class 'mlt'  
confband(object, newdata, level = 0.95,  
         type = c("trafo", "distribution", "survivor", "cumhazard"),  
         K = 20, cheat = K, ...)
```

## Arguments

object	an object of class <code>mlt</code>
newdata	a data frame of observations
level	the confidence level
type	the function to compute the confidence band for
K	number of grid points the function is evaluated at
cheat	number of grid points the function is evaluated at when using the quantile obtained for K grid points
...	additional arguments to <code>confint.glht</code>

## Details

The function is evaluated at K grid points and simultaneous confidence intervals are then interpolated in order to construct the band.

A smoother band can be obtained by setting cheat to something larger than K: The quantile is obtained for K grid points but the number of evaluated grid points cheat can be much larger at no additional cost. Technically, the nominal level is not maintained in this case but the deviation will be small for reasonably large K.

## Value

For each row in newdata the function and corresponding confidence band evaluated at the K (or cheat) grid points is returned.

## Description

Specification of conditional transformation models

## Usage

```
ctm(response, interacting = NULL, shifting = NULL, scaling = NULL,
     scale_shift = FALSE, data = NULL,
     todistr = c("Normal", "Logistic", "MinExtrVal", "MaxExtrVal",
                 "Exponential", "Laplace", "Cauchy"),
     sumconstr = inherits(interacting, c("formula", "formula_basis")), ...)
```

## Arguments

response	a basis function, ie, an object of class basis
interacting	a basis function, ie, an object of class basis
shifting	a basis function, ie, an object of class basis
scaling	a basis function, ie, an object of class basis
scale_shift	a logical choosing between two different model types in the presence of a scaling term
data	either a data.frame containing the model variables or a formal description of these variables in an object of class vars
todistr	a character vector describing the distribution to be transformed
sumconstr	a logical indicating if sum constraints shall be applied
...	arguments to as.basis when shifting is a formula

## Details

This function only specifies the model which can then be fitted using [mlt](#). The shift term is positive by default. All arguments except response can be missing (in this case an unconditional distribution is estimated). Hothorn et al. (2018) explain the model class.

Possible choices of the distributions the model transforms to (the inverse link functions  $F_Z$ ) include the standard normal ("Normal"), the standard logistic ("Logistic"), the standard minimum extreme value ("MinExtrVal", also known as Gompertz distribution), and the standard maximum extreme value ("MaxExtrVal", also known as Gumbel distribution) distributions. The exponential distribution ("Exponential") can be used to fit Aalen additive hazard models. Laplace and Cauchy distributions are also available.

Shift-scale models (Siegfried et al., 2023) of the form

$$P(Y \leq y \mid X = x) = F_Z(\sqrt{\exp(s(x)^\top \gamma)}[(a(y) \otimes b(x))^\top \vartheta] + d(x)^\top \beta)$$

(scale\_shift = FALSE) or

$$P(Y \leq y \mid X = x) = F_Z(\sqrt{\exp(s(x)^\top \gamma)}[(a(y) \otimes b(x))^\top \vartheta + d(x)^\top \beta])$$

(scale\_shift = TRUE) with bases  $a(y)$  (response),  $b(x)$  (interacting),  $d(x)$  (shifting), and  $s(x)$  (scaling) can be specified as well.

## Value

An object of class ctm.

## References

Torsten Hothorn, Lisa Moest, Peter Buehlmann (2018), Most Likely Transformations, *Scandinavian Journal of Statistics*, **45**(1), 110–134, doi:[10.1111/sjos.12291](https://doi.org/10.1111/sjos.12291).

Sandra Siegfried, Lucas Kook, Torsten Hothorn (2023), Distribution-Free Location-Scale Regression, *The American Statistician*, **77**(4), 345–356, doi:[10.1080/00031305.2023.2203177](https://doi.org/10.1080/00031305.2023.2203177).

---

ctm-methods

---

*Methods for ctm Objects*


---

## Description

Methods for objects of class ctm

## Usage

```
## S3 method for class 'ctm'
variable.names(object,
               which = c("all", "response", "interacting",
                        "shifting", "scaling"),
               ...)
## S3 method for class 'ctm'
coef(object, ...)
```

## Arguments

object	an unfitted conditional transformation model as returned by <a href="#">ctm</a>
which	a character specifying which names shall be returned
...	additional arguments

## Details

coef can be used to get and set model parameters.

---

mlt *Most Likely Transformations*


---

**Description**

Likelihood-based model estimation in conditional transformation models

**Usage**

```
mlt(model, data, weights = NULL, offset = NULL, fixed = NULL, theta = NULL,
     pstart = NULL, scale = FALSE, dofit = TRUE, optim = mltoptim())
```

**Arguments**

model	a conditional transformation model as specified by <a href="#">ctm</a>
data	a <code>data.frame</code> containing all variables specified in <code>model</code>
weights	an optional vector of case weights
offset	an optional vector of offset values; offsets are not added to an optional scaling term (see <code>link{ctm}</code> )
fixed	a named vector of fixed regression coefficients; the names need to correspond to column names of the design matrix
theta	optional starting values for the model parameters
pstart	optional starting values for the distribution function evaluated at the data
scale	a logical indicating if (internal) scaling shall be applied to the model coefficients
dofit	a logical indicating if the model shall be fitted to the data (TRUE) or not. If <code>theta</code> is given, a model of class <code>mlt</code> (a full "fitted" model) featuring these parameters is returned. Otherwise, an unfitted model of class <code>ctm</code> is returned
optim	a list of functions implementing suitable optimisers

**Details**

This function fits a conditional transformation model by searching for the most likely transformation as described in Hothorn et al. (2018) and Hothorn (2020).

**Value**

An object of class `mlt` with corresponding methods.

**References**

Torsten Hothorn, Lisa Moest, Peter Buehlmann (2018), Most Likely Transformations, *Scandinavian Journal of Statistics*, **45**(1), 110–134, [doi:10.1111/sjos.12291](#).

Torsten Hothorn (2020), Most Likely Transformations: The `mlt` Package, *Journal of Statistical Software*, **92**(1), 1–68, [doi:10.18637/jss.v092.i01](#)

Sandra Siegfried, Lucas Kook, Torsten Hothorn (2023), Distribution-Free Location-Scale Regression, *The American Statistician*, **77**(4), 345–356, [doi:10.1080/00031305.2023.2203177](#).

## Examples

```
### set-up conditional transformation model for conditional
### distribution of dist given speed
dist <- numeric_var("dist", support = c(2.0, 100), bounds = c(0, Inf))
speed <- numeric_var("speed", support = c(5.0, 23), bounds = c(0, Inf))
ctmm <- ctm(response = Bernstein_basis(dist, order = 4, ui = "increasing"),
            interacting = Bernstein_basis(speed, order = 3))

### fit model
mltm <- mlt(ctmm, data = cars)

### plot data
plot(cars)
### predict quantiles and overlay data with model via a "quantile sheet"
q <- predict(mltm, newdata = data.frame(speed = 0:24), type = "quantile",
            p = 2:8 / 10, K = 500)
tmp <- apply(q, 1, function(x) lines(0:24, x, type = "l"))
```

mlt-methods

*Methods for mlt Objects*

## Description

Methods for objects of class mlt

## Usage

```
## S3 method for class 'mlt'
coef(object, fixed = TRUE, ...)
coef(object) <- value
## S3 method for class 'mlt'
weights(object, ...)
## S3 method for class 'mlt'
logLik(object, parm = coef(object, fixed = FALSE), w = NULL, newdata, ...)
## S3 method for class 'mlt'
vcov(object, parm = coef(object, fixed = FALSE), complete = FALSE, ...)
Hessian(object, ...)
## S3 method for class 'mlt'
Hessian(object, parm = coef(object, fixed = FALSE), ...)
Gradient(object, ...)
## S3 method for class 'mlt'
Gradient(object, parm = coef(object, fixed = FALSE), ...)
## S3 method for class 'mlt'
estfun(x, parm = coef(x, fixed = FALSE),
      w = NULL, newdata, ...)
## S3 method for class 'mlt'
residuals(object, parm = coef(object, fixed = FALSE),
```

```

        w = NULL, newdata, what = c("shifting", "scaling"), ...)
## S3 method for class 'mlt'
mkgrid(object, n, ...)
## S3 method for class 'mlt'
bounds(object)
## S3 method for class 'mlt'
variable.names(object, ...)
## S3 method for class 'mlt_fit'
update(object, weights = stats::weights(object),
        subset = NULL, offset = object$offset, theta = coef(object, fixed = FALSE),
        fixed = NULL, ...)
## S3 method for class 'mlt'
as.mlt(object)

```

## Arguments

<code>object, x</code>	a fitted conditional transformation model as returned by <code>mlt</code>
<code>fixed</code>	a logical indicating if only estimated coefficients ( <code>fixed = FALSE</code> ) should be returned OR (for <code>update</code> ) a named vector of fixed regression coefficients; the names need to correspond to column names of the design matrix
<code>value</code>	coefficients to be assigned to the model
<code>parm</code>	model parameters
<code>w</code>	model weights
<code>what</code>	type of residual: <code>shifting</code> means score with respect to a constant intercept for the shift term and <code>scaling</code> means score with respect to a constant intercept in the scaling term. This works whether or not such terms are actually present in the model
<code>weights</code>	model weights
<code>newdata</code>	an optional data frame of new observations. Allows evaluation of the log-likelihood for a given model object on these new observations. The parameters <code>parm</code> and <code>w</code> are ignored in this situation.
<code>n</code>	number of grid points
<code>subset</code>	an optional integer vector indicating the subset of observations to be used for fitting.
<code>offset</code>	an optional vector of offset values
<code>theta</code>	optional starting values for the model parameters
<code>complete</code>	currently ignored
<code>...</code>	additional arguments

## Details

`coef` can be used to get and set model parameters, `weights` and `logLik` extract weights and evaluate the log-likelihood (also for parameters other than the maximum likelihood estimate). `Hessian` returns the Hessian (of the *negative* log-likelihood) and `vcov` the inverse thereof. `Gradient` gives the



negative gradient (minus sum of the score contributions) and `estfun` the *negative* score contribution by each observation. `mkgrid` generates a grid of all variables (as returned by `variable.names`) in the model. `update` allows refitting the model with alternative weights and potentially different starting values. `bounds` gets bounds for bounded variables in the model.

---

mltoptim	<i>Control Optimisation</i>
----------	-----------------------------

---

## Description

Define optimisers and their control parameters

## Usage

```
mltoptim(auglag = list(maxtry = 5, kkt2.check = FALSE),
         spg = list(maxit = 10000, quiet = TRUE, checkGrad = FALSE),
         nloptr = list(algorithm = "NLOPT_LD_MMA", xtol_rel = 1.0e-8, maxeval = 1000L),
         constrOptim = list(method = "BFGS", control = list(), mu = 1e-04,
                           outer.iterations = 100, outer.eps = 1e-05, hessian = FALSE),
         trace = FALSE)
```

## Arguments

<code>auglag</code>	A list with control parameters for the <a href="#">auglag</a> optimiser. <code>maxtry</code> is the number of times the algorithm is started on random starting values in case it failed with the precomputed ones.
<code>spg</code>	A list with control parameters for the <a href="#">BBoptim</a> optimiser (calling <a href="#">spg</a> internally).
<code>nloptr</code>	A list with control parameters for the <a href="#">nloptr</a> family of optimisers.
<code>constrOptim</code>	A list with control parameters for the <a href="#">constrOptim</a> optimiser.
<code>trace</code>	A logical switching trace reports by the optimisers off.

## Details

This function sets-up functions to be called in [mlt](#) internally.

## Value

A list of functions with arguments `theta` (starting values), `f` (log-likelihood), `g` (scores), `ui` and `ci` (linear inequality constraints). Adding further such functions is a way to add more optimisers to [mlt](#). The first one in this list converging defines the resulting model.

## Examples

```
### set-up linear transformation model for conditional
### distribution of dist given speed
dist <- numeric_var("dist", support = c(2.0, 100), bounds = c(0, Inf))
ctmm <- ctm(response = Bernstein_basis(dist, order = 4, ui = "increasing"),
            shifting = ~ speed, data = cars)

### use auglag with kkt2.check = TRUE => the numerically determined
### hessian is returned as "optim_hessian" slot
op <- mltoptim(auglag = list(maxtry = 5, kkt2.check = TRUE))[1]
mltm <- mlt(ctmm, data = cars, scale = FALSE, optim = op)

### compare analytical and numerical hessian
all.equal(c(Hessian(mltm)), c(mltm$optim_hessian), tol = 1e-4)
```

---

mmlt

---

*Multivariate Conditional Transformation Models*


---

## Description

Conditional transformation models for multivariate continuous, discrete, or a mix of continuous and discrete outcomes

## Usage

```
mmlt(..., formula = ~ 1, data, conditional = FALSE, theta = NULL, fixed = NULL,
      scale = FALSE, optim = mltoptim(auglag = list(maxtry = 5)),
      args = list(seed = 1, M = 1000), dofit = TRUE, domargins = TRUE)
## S3 method for class 'cmmlt'
coef(object, newdata,
      type = c("all", "conditional", "Lambdapar", "Lambda", "Lambdainv",
               "Precision", "PartialCorr", "Sigma", "Corr",
               "Spearman", "Kendall"), fixed = TRUE,
      ...)
## S3 method for class 'mmmlt'
coef(object, newdata,
      type = c("all", "marginal", "Lambdapar", "Lambda", "Lambdainv",
               "Precision", "PartialCorr", "Sigma", "Corr",
               "Spearman", "Kendall"), fixed = TRUE,
      ...)
## S3 method for class 'mmlt'
predict(object, newdata, margins = 1:J,
        type = c("trafo", "distribution", "survivor", "density", "hazard"),
        log = FALSE, args = object$args, ...)
## S3 method for class 'mmlt'
simulate(object, nsim = 1L, seed = NULL, newdata, K = 50, ...)
```

## Arguments

...	marginal transformation models, one for each response, for <code>mmlt</code> . Additional arguments for the methods.
formula	a model formula describing a model for the dependency structure via the lambda parameters. The default is set to $\sim 1$ for constant lambdas.
data	a <code>data.frame</code> .
conditional	logical; parameters are defined conditionally (only possible when all models are probit models). This is the default as described by Klein et al. (2022). If <code>FALSE</code> , parameters can be directly interpreted marginally, this is explained in Section 2.6 by Klein et al. (2022). Using <code>conditional = FALSE</code> with probit-only models gives the same likelihood but different parameter estimates.
theta	an optional vector of starting values.
fixed	an optional named numeric vector of predefined parameter values or a logical (for <code>coef</code> ) indicating to also return fixed parameters (only when <code>type = "all"</code> ).
scale	a logical indicating if (internal) scaling shall be applied to the model coefficients.
optim	a list of optimisers as returned by <code>mltoptim</code>
args	a list of arguments for <code>lpmvnorm</code> .
dofit	logical; parameters are fitted by default, otherwise a list with log-likelihood and score function is returned.
domargins	logical; all model parameters are fitted by default, including the parameters of marginal models.
object	an object of class <code>mmlt</code> .
newdata	an optional <code>data.frame</code> coefficients and predictions shall be computed for.
type	type of coefficient or prediction to be returned.
margins	indices defining marginal models to be evaluated. Can be single integers giving the marginal distribution of the corresponding variable, or multiple integers (currently only <code>1:j</code> implemented).
log	logical; return log-probabilities or log-densities if <code>TRUE</code> .
nsim	number of samples to generate.
seed	optional seed for the random number generator.
K	number of grid points to generate.

## Details

The function implements core functionality for fitting multivariate conditional transformation models as described by Klein et al (2020).

## Value

An object of class `mmlt` with `coef` and `predict` methods.

## References

- Nadja Klein, Torsten Hothorn, Luisa Barbanti, Thomas Kneib (2022), Multivariate Conditional Transformation Models. *Scandinavian Journal of Statistics*, **49**, 116–142, doi:[10.1111/sjos.12501](https://doi.org/10.1111/sjos.12501).
- Torsten Hothorn (2024), On Nonparanormal Likelihoods. doi:[10.48550/arXiv.2408.17346](https://doi.org/10.48550/arXiv.2408.17346).

---

mmlt-methods

---

*Methods for mmlt Objects*


---

## Description

Methods for objects of class mmlt

## Usage

```
## S3 method for class 'mmlt'
weights(object, ...)
## S3 method for class 'mmlt'
logLik(object, parm = coef(object, fixed = FALSE), w = NULL, newdata = NULL, ...)
## S3 method for class 'mmlt'
vcov(object, parm = coef(object, fixed = FALSE), complete = FALSE, ...)
## S3 method for class 'mmlt'
Hessian(object, parm = coef(object, fixed = FALSE), ...)
## S3 method for class 'mmlt'
Gradient(object, parm = coef(object, fixed = FALSE), ...)
## S3 method for class 'mmlt'
estfun(x, parm = coef(x, fixed = FALSE),
      w = NULL, newdata = NULL, ...)
## S3 method for class 'mmlt'
mkgrid(object, ...)
## S3 method for class 'mmlt'
variable.names(object, response_only = FALSE, ...)
```

## Arguments

object, x	a fitted multivariate transformation model as returned by <code>mmlt</code>
fixed	a logical indicating if only estimated coefficients ( <code>fixed = FALSE</code> ) should be returned OR (for update) a named vector of fixed regression coefficients; the names need to correspond to column names of the design matrix
parm	model parameters
w	model weights
weights	model weights
newdata	an optional data frame of new observations. Allows evaluation of the log-likelihood for a given model object on these new observations. The parameters <code>parm</code> and <code>w</code> are ignored in this situation.

response_only	only return the names of the response variables
complete	currently ignored
...	additional arguments

## Details

coef can be used to get and set model parameters, weights and logLik extract weights and evaluate the log-likelihood (also for parameters other than the maximum likelihood estimate). Hessian returns the Hessian (of the *negative* log-likelihood) and vcov the inverse thereof. Gradient gives the negative gradient (minus sum of the score contributions) and estfun the *negative* score contribution by each observation. mkgrid generates a grid of all variables (as returned by variable.names) in the model.

---

plot-predict-simulate *Plots, Predictions and Samples from mlt Objects*

---

## Description

Plot, predict and sample from objects of class mlt

## Usage

```
## S3 method for class 'ctm'
plot(x, newdata, type = c(
  "distribution", "logdistribution",
  "survivor", "logsurvivor",
  "density", "logdensity",
  "hazard", "loghazard",
  "cumhazard", "logcumhazard",
  "odds", "logodds",
  "quantile", "trafo"),
  q = NULL, prob = 1:(K - 1) / K, K = 50, col = rgb(.1, .1, .1, .1), lty = 1,
  add = FALSE, ...)
## S3 method for class 'mlt'
plot(x, ...)
## S3 method for class 'ctm'
predict(object, newdata, type = c("trafo",
  "distribution", "logdistribution",
  "survivor", "logsurvivor",
  "density", "logdensity",
  "hazard", "loghazard",
  "cumhazard", "logcumhazard",
  "odds", "logodds",
  "quantile"),
  terms = c("bresponse", "binteracting", "bshifting"),
  q = NULL, prob = NULL, K = 50, interpolate = FALSE, ...)
```

```
## S3 method for class 'm1t'
predict(object, newdata = object$data, ...)
## S3 method for class 'ctm'
simulate(object, nsim = 1, seed = NULL, newdata, K = 50, q = NULL,
         interpolate = FALSE, bysim = TRUE, ...)
## S3 method for class 'm1t'
simulate(object, nsim = 1, seed = NULL, newdata = object$data, bysim = TRUE, ...)
```

## Arguments

<code>object</code>	a fitted conditional transformation model as returned by <code>m1t</code> or an unfitted conditional transformation model as returned by <code>ctm</code>
<code>x</code>	a fitted conditional transformation model as returned by <code>m1t</code>
<code>newdata</code>	an optional data frame of observations
<code>type</code>	type of prediction or plot to generate
<code>q</code>	quantiles at which to evaluate the model
<code>prob</code>	probabilities for the evaluation of the quantile function (type = "quantile")
<code>terms</code>	terms to evaluate for the predictions, corresponds to the argument response, interacting and shifting in <code>ctm</code>
<code>K</code>	number of grid points to generate (in the absence of <code>q</code> )
<code>col</code>	color for the lines to plot
<code>lty</code>	line type for the lines to plot
<code>add</code>	logical indicating if a new plot shall be generated (the default)
<code>interpolate</code>	logical indicating if quantiles shall be interpolated linearly. This unnecessary option is no longer implemented (starting with 1.2-1).
<code>nsim</code>	number of samples to generate
<code>seed</code>	optional seed for the random number generator
<code>bysim</code>	logical, if TRUE a list with <code>nsim</code> elements is returned, each element is of length <code>nrow(newdata)</code> and contains one sample from the conditional distribution for each row of <code>newdata</code> . If FALSE, a list of length <code>nrow(newdata)</code> is returned, its <code>i</code> th element of length <code>nsim</code> contains <code>nsim</code> samples from the conditional distribution given <code>newdata[i,]</code> .
<code>...</code>	additional arguments

## Details

`plot` evaluates the transformation function over a grid of `q` values for all observations in `newdata` and plots these functions (according to `type`). `predict` evaluates the transformation function over a grid of `q` values for all observations in `newdata` and returns the result as a matrix (where `_columns_` correspond to `_rows_` in `newdata`, see examples). Lack of `type = "mean"` is a feature and not a bug.

Argument `type` defines the scale of the plots or predictions: `type = "distribution"` means the cumulative distribution function, `type = "survivor"` is the survivor function (one minus distribution function), `type = "density"` the absolute continuous or discrete density (depending on the

response), type = "hazard", type = "cumhazard", and type = "odds" refers to the hazard (absolute continuous or discrete), cumulative hazard (defined as minus log-survivor function in both the absolute continuous and discrete cases), and odds (distribution divided by survivor) functions. The quantile function can be evaluated for probabilities prob by type = "quantile".

Note that the predict method for ctm objects requires all model coefficients to be specified in this unfitted model. simulate draws samples from object by numerical inversion of the quantile function.

Note that offsets are ALWAYS IGNORED when computing predictions. If you want the methods to pay attention to offsets, specify them as a variable in the model with fixed regression coefficient using the fixed argument in [mlt](#).

More examples can be found in Hothorn (2018).

## References

Torsten Hothorn (2020), Most Likely Transformations: The mlt Package, *Journal of Statistical Software*, **92**(1), 1–68, doi:[10.18637/jss.v092.i01](https://doi.org/10.18637/jss.v092.i01)

## Examples

```
library("survival")
op <- options(digits = 2)

### GBSG2 dataset
data("GBSG2", package = "TH.data")

### right-censored response
GBSG2$y <- with(GBSG2, Surv(time, cens))

### define Bernstein(log(time)) parameterisation
### of transformation function. The response
### is bounded (log(0) doesn't work, so we use log(1))
### support defines the support of the Bernstein polynomial
### and add can be used to make the grid wider (see below)
rvar <- numeric_var("y", bounds = c(0, Inf),
                    support = c(100, 2000))
rb <- Bernstein_basis(rvar, order = 6, ui = "increasing")
### dummy coding of menopausal status
hb <- as.basis(~ 0 + menostat, data = GBSG2)
### treatment contrast of hormonal treatment
xb <- as.basis(~ horTh, data = GBSG2, remove_intercept = TRUE)

### set-up and fit Cox model, stratified by menopausal status
m <- ctm(rb, interacting = hb, shifting = xb, todistr = "MinExtrVal")
fm <- mlt(m, data = GBSG2)

### generate grid for all three variables
### note that the response grid ranges between 1 (bounds[1])
### and 2000 (support[2])
(d <- mkgrid(m, n = 10))
### data.frame of menopausal status and treatment
nd <- do.call("expand.grid", d[-1])
```

```

### plot model on different scales, for all four combinations
### of menopausal status and hormonal treatment
typ <- c("distribution", "survivor", "density", "hazard",
        "cumhazard", "odds")
layout(matrix(1:6, nrow = 2))
nl <- sapply(typ, function(tp)
  ### K = 500 makes densities and hazards smooth
  plot(fm, newdata = nd, type = tp, col = 1:nrow(nd), K = 500))
legend("topleft", lty = 1, col = 1:nrow(nd),
      legend = do.call("paste", nd), bty = "n")

### plot calls predict, which generates a grid with K = 50
### response values
### note that a K x nrow(newdata) matrix is returned
### (for reasons explained in the next example)
predict(fm, newdata = nd, type = "survivor")

### newdata can take a list, and evaluates the survivor
### function on the grid defined by newdata
### using a linear array model formulation and is
### extremely efficient (wrt computing time and memory)
### d[1] (the response grid) varies fastest
### => the first dimension of predict() is always the response,
### not the dimension of the predictor variables (like one
### might expect)
predict(fm, newdata = d, type = "survivor")

### owing to this structure, the result can be quickly stored in
### a data frame as follows
cd <- do.call("expand.grid", d)
cd$surv <- c(S <- predict(fm, newdata = d, type = "survivor"))

### works for distribution functions
all.equal(1 - S, predict(fm, newdata = d, type = "distribution"))
### cumulative hazard functions
all.equal(-log(S), predict(fm, newdata = d, type = "cumhazard"))
### log-cumulative hazard functions (= trafo, for Cox models)
all.equal(log(-log(S)), predict(fm, newdata = d, type = "logcumhazard"))
all.equal(log(-log(S)), predict(fm, newdata = d, type = "trafo"))
### densities, hazards, or odds functions
predict(fm, newdata = d, type = "density")
predict(fm, newdata = d, type = "hazard")
predict(fm, newdata = d, type = "odds")
### and quantiles (10 and 20%)
predict(fm, newdata = d[-1], type = "quantile", prob = 1:2 / 10)

### note that some quantiles are only defined as intervals
### (> 2000, in this case). Intervals are returned as an "response"
### object, see ?R. Unfortunately, these can't be stored as array, so
### a data.frame is returned where the quantile varies first
p <- c(list(prob = 1:9/10), d[-1])
np <- do.call("expand.grid", p)

```



```

(Q <- predict(fm, newdata = d[-1], type = "quantile", prob = 1:9 / 10))
np$Q <- Q
np

### simulating from the model works by inverting the distribution
### function; some obs are right-censored at 2000
(s <- simulate(fm, newdata = nd, nsim = 3))
### convert to Surv
sapply(s, as.Surv)

### generate 3 parametric bootstrap samples from the model
tmp <- GBSG2[, c("menostat", "horTh")]
s <- simulate(fm, newdata = tmp, nsim = 3)
### refit the model using the simulated response
lapply(s, function(y) {
  tmp$y <- y
  coef(mlt(m, data = tmp))
})

options(op)

```

---

R

*Response Variables*


---

## Description

Represent a possibly censored or truncated response variable

## Usage

```

R(object, ...)
## S3 method for class 'numeric'
R(object = NA, cleft = NA, cright = NA,
  tleft = NA, tright = NA, tol = sqrt(.Machine$double.eps),
  as.R.ordered = FALSE, as.R.interval = FALSE, ...)
## S3 method for class 'ordered'
R(object, cleft = NA, cright = NA, ...)
## S3 method for class 'integer'
R(object, cleft = NA, cright = NA, bounds = c(min(object), Inf), ...)
## S3 method for class 'factor'
R(object, ...)
## S3 method for class 'Surv'
R(object, as.R.ordered = FALSE, as.R.interval = FALSE, ...)
as.Surv(object)
## S3 method for class 'response'
as.Surv(object)
## S3 method for class 'response'
as.double(x, ...)

```

## Arguments

<code>object</code>	A vector of (conceptually) exact measurements or an object of class <code>response</code> (for <code>as.Surv</code> ) or a list.
<code>x</code>	same as <code>object</code> .
<code>cleft</code>	A vector of left borders of censored measurements
<code>cright</code>	A vector of right borders of censored measurements
<code>tleft</code>	A vector of left truncations
<code>tright</code>	A vector of right truncations
<code>tol</code>	Tolerance for checking if <code>cleft &lt; cright</code>
<code>bounds</code>	Range of possible values for integers
<code>as.R.ordered</code>	logical, should numeric responses or right-censored (and possible left-truncated survival) times be coded as ordered factor? This leads to a parameterisation allowing to maximise the nonparametric maximum likelihood
<code>as.R.interval</code>	logical, should numeric responses be coded for the nonparametric maximum likelihood
<code>...</code>	other arguments, ignored except for <code>tleft</code> and <code>tright</code> to <code>R.ordered</code> and <code>R.integer</code>

## Details

R is basically an extension of [Surv](#) for the representation of arbitrarily censored or truncated measurements at any scale. The `storage.mode` of `object` determines if models are fitted by the discrete likelihood (integers or factors) or the continuous likelihood (log-density for numeric objects). Interval-censoring is given by intervals (`cleft`, `cright`], also for integers and factors (see example below). Left- and right-truncation can be defined by the `tleft` and `tright` arguments. Existing `Surv` objects can be converted using `R(Surv(...))$` and, in some cases, an `as.Surv()` method exists for representing response objects as `Surv` objects.

R applied to a list calls R for each of the list elements and returns a joint object.

More examples can be found in Hothorn (2018) and in `vignette("tram", package = "tram")`.

## References

Torsten Hothorn (2020), Most Likely Transformations: The `mlt` Package, *Journal of Statistical Software*, **92**(1), 1–68, doi:[10.18637/jss.v092.i01](https://doi.org/10.18637/jss.v092.i01)

## Examples

```
library("survival")

### randomly right-censored continuous observations
time <- as.double(1:9)
event <- rep(c(FALSE, TRUE), length = length(time))

Surv(time, event)
R(Surv(time, event))

### right-censoring, left-truncation
```

```

ltm <- 1:9 / 10
Surv(ltm, time, event)
R(Surv(ltm, time, event))

### interval-censoring
Surv(ltm, time, type = "interval2")
R(Surv(ltm, time, type = "interval2"))

### interval-censoring, left/right-truncation
lc <- as.double(1:4)
lt <- c(NA, NA, 7, 8)
rt <- c(NA, 9, NA, 10)
x <- c(3, NA, NA, NA)
rc <- as.double(11:14)
R(x, cleft = lt, cright = rt)
as.Surv(R(x, cleft = lt, cright = rt))
R(x, tleft = 1, cleft = lt, cright = rt)
R(x, tleft = 1, cleft = lt, cright = rt, tright = 15)
R(x, tleft = lc, cleft = lt, cright = rt, tright = rc)

### discrete observations: counts
x <- 0:9
R(x)
### partially interval-censored counts
rx <- c(rep(NA, 6), rep(15L, 4))
R(x, cright = rx)

### ordered factor
x <- gl(5, 2, labels = LETTERS[1:5], ordered = TRUE)
R(x)
### interval-censoring (ie, observations can have multiple levels)
lx <- ordered(c("A", "A", "B", "C", "D", "E"),
              levels = LETTERS[1:5], labels = LETTERS[1:5])
rx <- ordered(c("B", "D", "E", "D", "D", "E"),
              levels = LETTERS[1:5], labels = LETTERS[1:5])
R(rx, cleft = lx, cright = rx)

### facilitate nonparametric maximum likelihood
(y <- round(runif(10), 1))
R(y, as.R.ordered = TRUE)

R(Surv(time, event), as.R.ordered = TRUE)
R(Surv(ltm, time, event), as.R.ordered = TRUE)

```

# Index

- \* **list**
  - mltoptim, 9
- \* **models**
  - mmmlt, 10
- \* **package**
  - mlt-package, 2
- as.double.response (R), 17
- as.mlt (mlt-methods), 7
- as.Surv (R), 17
- auglag, 9
- BBoptim, 9
- bounds.mlt (mlt-methods), 7
- coef.cmmlt (mmmlt), 10
- coef.ctm (ctm-methods), 5
- coef.mlt (mlt-methods), 7
- coef.mmmlt (mmmlt), 10
- coef<- (mlt-methods), 7
- coef<- .ctm (ctm-methods), 5
- coef<- .mmmlt (mmmlt-methods), 12
- confband, 3
- confint.glht, 3
- constrOptim, 9
- ctm, 4, 5, 6, 14
- ctm-methods, 5
- estfun.mlt (mlt-methods), 7
- estfun.mmmlt (mmmlt-methods), 12
- Gradient (mlt-methods), 7
- Gradient.mmmlt (mmmlt-methods), 12
- Hessian (mlt-methods), 7
- Hessian.mmmlt (mmmlt-methods), 12
- logLik.mlt (mlt-methods), 7
- logLik.mmmlt (mmmlt-methods), 12
- lpmvnorm, 11
- mkgrid.mlt (mlt-methods), 7
- mkgrid.mmmlt (mmmlt-methods), 12
- mlt, 3, 4, 6, 8, 9, 14, 15
- mlt-methods, 7
- mlt-package, 2
- mltoptim, 9, 11
- mmmlt, 10, 12
- mmmlt-methods, 12
- nloptr, 9
- plot-predict-simulate, 13
- plot.ctm (plot-predict-simulate), 13
- plot.mlt (plot-predict-simulate), 13
- predict.ctm (plot-predict-simulate), 13
- predict.mlt (plot-predict-simulate), 13
- predict.mmmlt (mmmlt), 10
- R, 17
- residuals.mlt (mlt-methods), 7
- simulate.ctm (plot-predict-simulate), 13
- simulate.mlt (plot-predict-simulate), 13
- simulate.mmmlt (mmmlt), 10
- spg, 9
- Surv, 18
- update.mlt\_fit (mlt-methods), 7
- variable.names.ctm (ctm-methods), 5
- variable.names.mlt (mlt-methods), 7
- variable.names.mmmlt (mmmlt-methods), 12
- vcov.mlt (mlt-methods), 7
- vcov.mmmlt (mmmlt-methods), 12
- weights.mlt (mlt-methods), 7
- weights.mmmlt (mmmlt-methods), 12